



PASSION FOR CREATING SPACES



PCA was founded in 2008 and it is a member of PAP GROUP, located in the Industrial Area of Thessaloniki in a plant of 14000m², owned by the group. Company's main activity is designing and manufacturing glass accessories and aluminium profiles aiming to provide complete solutions to every glass application. Company's principals are quality, innovation, excellent service and competitive prices. PCA also has a Research & Development (R & D) department of innovative products burdened with the study, design and optimization of components available to the company. For the period 2012 - 2018, 80% of the company turnover occurred in exports worldwide in 50 countries. The product range of the company covers the following types of structures:

| Shower Cabins | Facades | Folding Doors
| Internal Doors | Sliding Doors | Glass Wall Partitions
| Glass Canopies | Glass Railings | Spider Systems
| Glass Staircases



PAP SAFETY GLASS
PAPGROUP





Index

Shower Cabins & WC Partitions

SX	NEW softclose sliding shower cabin series	09
SN	sliding shower cabin series	14
SA	sliding shower cabin series	18
A0	opening shower cabin series	22
B0	opening shower cabin series	28
WN	opening shower cabin series	34
ST09	opening shower cabin series	36
SA09	opening shower cabin series	38

Sliding Doors & Office Partitions

D	sliding door series with soft close	82
B	sliding door series	86
SA	sliding door series	90
V1000	telescopic synchronized door	94
V2000	sliding door series with soft close	98
A1	door frame series	116
A2	door frame series	117
A3	door frame series	118
A4	door frame series	119
A5	NEW door frame series	120
A21	full door frame series	128
A22	full door frame series	129
A23	full door frame series	130
A24	full door frame series	131
A25	NEW full door frame series	132
A8	partition series	138
A9	partition series	140
A10	partition series	142
A11	partition series	146

Facades

WR1	facade series	170
WR2	facade series	172
WS1	facade series	174
W1	partition series	178
W2	partition series	180

Folding Doors

DR01	folding door series (parking)	200
DR02	folding door series (hinge)	202

Guillotine

GL	NEW guillotine series	210
-----------	------------------------------	-----

Spiders

S1	spider series	216
S2	spider series	218

Balcony Railings

M1	balcony railing series	228
M2	balcony railing series	230
M3	balcony railing series	232
M10	balcony railing series	234
M11	balcony railing series	236
M12	balcony railing series	238
M17	NEW balcony railing series	240
M18	NEW balcony railing series	242
M19	NEW balcony railing series	244
M4	balcony railing series	248
M13	balcony railing series	250
M14	lateral point fixing series	252
M20	NEW lateral point fixing series	254
M16	lateral point fixing series	256
M15	lateral point fixing series	258
M9	lateral point fixing series	260
M21	NEW lateral point fixing series	261
M22	NEW lateral point fixing series	262
M6	lateral point fixing series	264
M7	lateral point fixing series	268
M8	lateral point fixing series	270

Inox Railings

NX	NEW Inox railings series	275
-----------	---------------------------------	-----

Staircase

L1	Staircase series	294
-----------	------------------	-----

Canopies

E1	Canopy series	298
E2	Canopy series	302
E3	Canopy series	305

Miscellaneous & Consumables

307

Shower Cabins & WC Partitions	8
Doors & Office Partitions	81
Facades	169
Folding	199
Guillotine	209
Spiders	215
Balcony Railings	225
Inox Railings	273
Staircase	293
Canopies	297
Miscellaneous & Consumables	307

SHOWER CABINS

SHOWER CABIN SERIES | **SX**



NEW

SOFTCLOSE



1 x GT07



1 x GG19



2 x HL48



1 x GG21



2 x RH50



1 x S05

1 x S06

2 x SP17



1 x FG06




1 x DK08
(Optional)




•OPTIONAL **U** GG15,GG14,GG19 for **8mm** Glass Thickness

OPTIONAL KNOBS ► 74 - 75

GLASS PREPARATION



TOP VIEW DETAIL



NEW



SX03 CABIN

•OPTIONAL **U** GG15,GG14 for **8mm** Glass Thickness

1 x GT07

1 x HL49

1 x HL48

2 x RH50

2 x SP17

1 x GG19

1 x GG21

1 x S09

2 x S06

1 x FG06


1 x FG10

1 x DK08
(Optional)


OPTIONAL KNOBS ► 74 - 75

SHOWER CABIN

GLASS PREPARATION



TOP VIEW DETAIL





NEW

NEW



SX02 CABIN


•OPTIONAL **U** GG15,GG14 for **8mm** Glass Thickness

- | | | | |
|----------|--|------------------------|--|
| 1 x GT07 | | 2 x GG19 | |
| 1 x HL50 | | 1 x GG21 | |
| 2 x HL48 | | 1 x S09 | |
| 4 x RH50 | | 2 x S06 | |
| 4 x SP17 | | 1 x FG07 | |
| | | 2 x FG06 | |
| | | 2 x DK08
(Optional) | |


SHOWER CABIN

OPTIONAL KNOBS ► 74 - 75

GLASS PREPARATION




TOP VIEW DETAIL





SHOWER CABIN SERIES | **SN**

SHOWER CABIN





SN01 CABIN

•OPTIONAL **U** GG15,GG14 for **8mm** Glass Thickness
GG03 for **10mm** Glass Thickness

1 x PCA SN - Kit

2 x RH18

2 x RH18B

2 x HL39

2 x HL34

2 x SP14

1 x GT02

1 x GG01

1 x GG15

1 x GG02

1 x S05


1 x S06

1 x FG01


1 x DK08
(Optional)

OPTIONAL KNOBS ▶ 74 - 75

GLASS PREPARATION



TOP VIEW DETAIL





SN02 CABIN

•OPTIONAL **U** GG15,GG14 for **8mm** Glass Thickness
GG03 for **10mm** Glass Thickness

2 x PCA SN - Kit


- 2 x RH18
- 2 x RH18B
- 2 x HL39
- 2 x HL34
- 2 x SP14

- 1 x FG03
- 1 x HL35


- 1 x GT02
- 1 x GG01
- 2 x GG15
- 1 x GG02
- 1 x S09
- 2 x S06
- 2 x FG01
- 2 x DK08 (Optional)

OPTIONAL KNOBS ▶ 74 - 75


GLASS PREPARATION



TOP VIEW DETAIL









SA01 CABIN


•OPTIONAL **U** GG09 for **10mm** Glass Thickness

- 1 x GT01
- 1 x RD01
- 2 x RH01
- 2 x HL05
- 2 x SP01
- 2 x HL07


- 1 x GG01
- 1 x GG03
- 1 x GG02
- 1 x S05
- 1 x S06
- 1 x FG01
- 1 x DK08
(Optional)

OPTIONAL KNOBS ► 74 - 75

GLASS PREPARATION



TOP VIEW DETAIL





SA02 CABIN

- OPTIONAL **U** GG09 for **10mm** Glass Thickness

- **1 x GT01**



- **2 x RD01**



- **4 x RH01**



- **4 x HL05**



- **4 x SP01**



- **2 x HL07**



- **1 x HL06**



- 1 x GG01**



- 2 x GG03**



- 1 x GG02**



- 1 x S09**



- 2 x S06**

- 2 x FG01**



- 1 x FG03**




- 2 x DK08**




(Optional)

OPTIONAL KNOBS ► 74 - 75

GLASS PREPARATION



TOP VIEW DETAIL





SHOWER CABIN SERIES | **A0**

SHOWER CABIN






A03 CABIN

•OPTIONAL **U** GG15,GG14, GG19 for **8mm** Glass Thickness




OPTIONAL KNOBS ▶ 73, 76-79
OPTIONAL HINGES ▶ 60-66

GLASS PREPARATION



TOP VIEW DETAIL





A04 CABIN

•OPTIONAL **U** GG15,GG14, GG19 for **8mm** Glass Thickness



1 x GG01

2 x GG15
(Optional)

1 x GG02

1 x S30

1 x GG18

1 x S19


1 x FG02

2 x SH48
(Optional)1 x DK21
(Optional)


OPTIONAL KNOBS ► 73, 76-79


OPTIONAL HINGES ► 60-66

GLASS PREPARATION



TOP VIEW DETAIL






- 1 x GG10
- 2 x SH45 (Optional)
- 2 x SH46 (Optional)
- 2 x S30
- 1 x S21
- 1 x S19
- 2 x DK06 (Optional)


OPTIONAL KNOBS ▶ 74 - 75
OPTIONAL HINGES ▶ 60-65


A06 CABIN

GLASS PREPARATION



TOP VIEW DETAIL





2 x SH47
(Optional)



2 x SH48
(Optional)



1 x HL38



1 x HL34



1 x GT02



2 x S30



1 x S21



1 x S19



1 x GG15



2 x DK06
(Optional)




A16 CABIN


OPTIONAL KNOBS ▶ 74 - 75

OPTIONAL HINGES ▶ 60-65

GLASS PREPARATION





TOP VIEW DETAIL





SHOWER CABIN SERIES | **B0**

SHOWER CABIN






B01 CABIN

•OPTIONAL **U** GG15,GG14, GG19 for **8mm** Glass Thickness | Alu - PVC
GG03 for **10mm** Glass Thickness | PVC




OPTIONAL KNOBS ▶ 73, 76-79
OPTIONAL HINGES ▶ 60-66

GLASS PREPARATION



TOP VIEW DETAIL






B02 CABIN

•OPTIONAL **U** GG15,GG14, GG19 for **8mm** Glass Thickness
GG03 for **10mm** Glass Thickness


Alu - PVC
PVC


OPTIONAL KNOBS ► 73, 76-79
OPTIONAL HINGES ► 60-66

GLASS PREPARATION



TOP VIEW DETAIL






B05 CABIN


•OPTIONAL **U** GG15,GG14, GG19 for **8mm** Glass Thickness
GG03 for **10mm** Glass Thickness

OPTIONAL KNOBS ▶ 73, 76-79
OPTIONAL HINGES ▶ 60-66

GLASS PREPARATION



TOP VIEW DETAIL






B09 CABIN

- **OPTIONAL U** GG15,GG14, GG19 for **8mm** Glass Thickness
GG03 for **10mm** Glass Thickness


OPTIONAL KNOBS ► 73, 76-79

OPTIONAL HINGES ► 60-66

GLASS PREPARATION



TOP VIEW DETAIL




WN | WALK-IN CABIN SERIES




Glass Thickness: 8-10mm


WN01 Cabin




WN02 Cabin



WN03 Cabin



WN04 Cabin





WC CUBICLE SERIES

ST9






WC CUBICLE SERIES

| **SA9**





- **1 x GT01**



- **6 x HL36**



- **3 x HL34**



- **1 x HL40**



- 6 x HL43**



- 4 x SH46



- 2 x BL16**



- 3 x GG15**



- 2 x GC35**



- 2 x S21**




- 2 x S19**




ST9 PARTITIONS


GLASS PREPARATION



 Installation
with
SH46 Hinge

TOP VIEW DETAIL





1 x GT01



4 x HL05



1 x HL04



2 x HL07



6 x HL28



4 x SH48



2 x BL16



3 x GG15



2 x GC05



2 x S21




2 x S19




SHOWER CABIN

SA9 PARTITIONS

GLASS PREPARATION




TOP VIEW DETAIL









NEW BOTTOM GUIDE OPTIONS
for **SN** & **SX** sliding shower cabins

U - profile option



Waterproof bottom track option



**PCA-GT07****Guide Track Profile**

350cm | Length

Aluminium | Material

Satin, Black Anodize | Finish




NEW

**PCA-HL48R****Fixing wall cap**

Stainless Steel 304 | Material

Satin, Black Anodize | Finish





NEW

**PCA-HL48L****Fixing wall cap**

Stainless Steel 304 | Material

Satin, Black Anodize | Finish




NEW

**PCA-HL50****Guide connector**

Stainless Steel 304 | Material

Satin, Black Anodize | Finish





NEW

**PCA-HL49R****Fix glass support**

Stainless Steel 304 | Material

Satin, Black Anodize | Finish





NEW



PCA-HL49L

Fix glass support

Stainless Steel 304 | Material
Satin, Black Anodize | Finish





NEW



PCA-FG05R

Sliding glass guide

Stainless Steel 304 | Material
Satin, Black Anodize | Finish





NEW



PCA-FG05L

Sliding glass guide

Stainless Steel 304 | Material
Satin, Black Anodize | Finish





NEW



PCA-FG06

Sliding glass guide

Stainless Steel 304 | Material
Satin, Black Anodize | Finish





NEW



PCA-FG07

Sliding glass guide

Stainless Steel 304 | Material
Satin, Black Anodize | Finish





NEW




PCA-FG10

Sliding glass guide

Stainless Steel 304 | Material
Satin, Black Anodize | Finish



NEW



600cm

220cm

PCA-GT02**Guide Track Profile**

220, 600cm | Length



Aluminium, Stainless Steel 304 | Material

Satin, Polished, Black Anodize | Finish



stainless steel



aluminium

**SN KIT - 2 PCS EACH PRODUCT****PCA-RH18****Flat Track Roller Hanger**

8-10mm | Glass Thickness

Stainless Steel 304 | Material



Satin, Polished, Black Anodize | Finish

**PCA-RH18B****Flat Track Roller Hanger Support**

8 - 10mm | Glass Thickness

Stainless Steel 304 | Material



Satin, Polished | Finish

**PCA-HL39****Flat Track - Glass Holder**

8 - 10mm | Glass Thickness

Stainless Steel 304 | Material

Satin, Polished, Black Anodize | Finish



**PCA-SP14****Flat Track Stop**

Stainless Steel 304 | Material

Satin, Polished | Finish






17

**PCA-HL34****Flat Track - Wall Holder**

Stainless Steel 304 | Material

Satin, Polished, Black Anodize | Finish







PCA-HL34A
Flat Track - Glass Holder Screw
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish




CORNER TRACK HOLDERS



PCA-HL35
90° Flat Track - Track Holder
45 kg | Max. Weight
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish



PCA-HL08
135° Flat Track - Track Holder
45 kg | Max. Weight
Stainless Steel 304 | Material
Satin, Polished | Finish




PCA-HL40
Flat Track - Glass Holder
45 kg | Max. Weight
Stainless Steel 304 | Material
Satin, Polished | Finish




Cabin Floor accessories




PCA-FG01A | FG01B | FG01C
Floor Guide
8,10,12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish



PCA-FG04
Floor Guide
Stainless Steel 304 | Material
Satin, Polished | Finish




PCA-FG09
Waterproof profile corner
Stainless Steel 304 | Material
Satin, Black Anodize | Finish




NEW




PCA-FG02
Corner Floor Guide
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish




Installation with FG02 Corner




PCA-FG03
Corner Floor Guide
Stainless Steel 304 | Material
Satin, Polished | Finish




Installation with FG03 Corner






PCA-GT01
Guide Track Profile
600cm | Length
Stainless Steel 304 | Material
Satin | Finish




PCA-RD01
Round Rod
150cm | Length
Stainless Steel 304 | Material
Satin | Finish



PCA-RH01
Round Track Roller Hanger
10mm | Glass Thickness
80 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish




Up side of Glass
COUNTER SUNK HOLES







PCA-SP01
Round Track Stop
Stainless Steel 304 | Material
Satin | Finish




PCA-HL06
Round Track - Track Holder
50 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish




PCA-HL07
Flat Track - Wall Holder
50 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish





PCA-HL05
Round Track - Glass Holder
10mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish






PCA-HL04
Round Track - Glass Holder
10mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish




WC Partition Glass Holders




PCA-HL28
Floor Glass Holder
10mm | Glass Thickness
80 kg | Max. Weight
Stainless Steel 304 | Material
Satin, Polished | Finish



PCA-HL43
Floor Glass Holder
10mm | Glass Thickness
80 kg | Max. Weight
Stainless Steel 304 | Material
Satin, Polished | Finish





HL34

GT02

HL45

GG15

35


55

22

14



PCA-HL45
Glass - Track Holder
8,10mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish




HL34

GT02


HL45

•OPTIONAL U PROFILES ▶ 52

FIX GLASS INSTALLATION



WN03 Cabin



35

28

7.5

48

35

63

33

31


15




PCA-HL51
Track Holder
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish



PCA-HL44
Adjustable Wall - Track Holder
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish




PCA-HL47
Adjustable Glass - Track Holder
10mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish




GT02 + HL44 + HL47



PCA-HL37
Glass - Track Holder
8,10mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish




PCA-HL38
Glass - Track Holder
8,10mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish






GT02 + HL37 + HL38 + HL34



PCA-HL36
Glass - Track Holder
8,10mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish




GT02 + HL36 + HL34 + HL35




**PCA-GG01****U Channel Profile**


220,300 cm | Length
8,10mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize | Finish

**PCA-GG02****U Channel Profile**


220 cm | Length
6 mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize | Finish

**PCA-GG03****U Channel Profile**


220, 300 cm | Length
10mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize | Finish

**PCA-GG15****U Channel Profile**


220, 300 cm | Length
8 mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize | Finish

**PCA-GG14****U Channel Profile**

220, 300 cm | Length
8 mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize | Finish

**PCA-GG19****U Channel Profile**



220, 300 cm | Length
8 mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize | Finish



NEW


**PCA-GG21****Cover for U Profile**

220, 300 cm | Length
8 mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize | Finish




GG19


NEW



PCA-GG09
U Channel Profile
220,300 cm | Length
8,10mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize, Natural Anodize | Finish



PCA-GG09-8 | GG09-10
U Channel Profile Rubber
88 m Roll | Unit
8,10mm | Glass Thickness
PVC | Material
Grey | Finish




PCA-S29
Waterproof Bottom Track
300 cm | Length
Aluminium | Material
Polished, Black Anodize | Finish




COMPATIBLE WITH FG09




NEW




PCA-S37
Waterproof Bottom Track
220 cm | Length
Aluminium | Material
Satin, Polished, Black Anodize | Finish




PCA-GG10
Waterproof Seal Fixing Profile
220, 300 cm | Length
8 mm | Seal Thickness
Aluminium | Material
Satin, Polished, Black Anodize | Finish




GG18-2



GG18-1




PCA-GG18
Magnet Fixing Profile
220, 300 cm | Length
8 mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize | Finish




**PCA-S19****Waterproof Sealant**


8mm | Glass Thickness
220, 300 cm | Length
Aluminium | Material
Satin, Polished, Black Anodize | Finish

**PCA-S30****Waterproof Sealant**


8, 10 mm | Glass Thickness
220, 300 cm | Length
Aluminium | Material
Satin, Polished, Black Anodize | Finish

**PCA-S36****Waterproof Sealant**


8, 10 mm | Glass Thickness
220, 300 cm | Length
Aluminium | Material
Satin, Polished, Black Anodize | Finish

**PCA-S25****Waterproof Sealant**


8, 10 mm | Glass Thickness
220, 300 cm | Length
Aluminium | Material
Satin, Polished, Black Anodize | Finish

**PCA-S26****Waterproof Sealant**

8, 10 mm | Glass Thickness
220, 300 cm | Length
Aluminium | Material
Satin, Polished, Black Anodize | Finish


**PCA-S21****Waterproof Sealant**

8, 10 mm | Glass Thickness
220, 300 cm | Length
Aluminium | Material
Satin, Polished, Black Anodize | Finish







PCA-S01
Waterproof Sealant
6,8,10,12mm | Glass Thickness
220cm | Length
PVC | Material




PCA-S02
Waterproof Sealant
8,10mm | Glass Thickness
220cm | Length
PVC | Material




PCA-S04
Waterproof Sealant
6,8,10mm | Glass Thickness
220cm | Length
PVC | Material




PCA-S05
Waterproof Sealant
6,8,10mm | Glass Thickness
300,220cm | Length
PVC | Material




PCA-S06
Waterproof Sealant
6,8,10mm | Glass Thickness
300,220cm | Length
16,25,30mm | Wing Length
PVC | Material




PCA-S07
Waterproof Sealant
6,8,10mm | Glass Thickness
220cm | Length
PVC | Material




PCA-S08
Waterproof Sealant 135° Magnet
8,10mm | Glass Thickness
220cm | Length
PVC | Material




PCA-S09
Waterproof Sealant 90° Magnet
8,10mm | Glass Thickness
300,220cm | Length
PVC | Material




PCA-S10
Waterproof Sealant 180° Magnet
8,10mm | Glass Thickness
220cm | Length
PVC | Material




PCA-S11
Waterproof Sealant
8,10mm | Glass Thickness
300,220cm | Length
PVC | Material




PCA-S12
Waterproof Sealant
6,8,10mm | Glass Thickness
300,220cm | Length
PVC | Material




PCA-S15
Waterproof Sealant Glued
6,8,10mm | Glass Thickness
220cm | Length
PVC | Material



PCA-S27
Waterproof Sealant Glued
8mm | Glass Thickness
220cm | Length
PVC | Material




PCA-S28
Waterproof Sealant 180° Magnet
8mm | Glass Thickness
220cm | Length
PVC | Material







NEW BLACK SHOWER CABIN SEALANTS




PCA-S05-BK
Waterproof Sealant
8mm | Glass Thickness
300,220cm | Length
PVC | Material




PCA-S06-BK
Waterproof Sealant
8,10mm | Glass Thickness
300,220cm | Length
25mm | Wing Length
PVC | Material




PCA-S07-BK
Bottom Waterproof Sealant
8,10mm | Glass Thickness
300,220cm | Length
8mm | Wing Length
PVC | Material




PCA-S08-BK
Waterproof Sealant 135° Magnet
8,10mm | Glass Thickness
300,220cm | Length
PVC | Material




PCA-S09-BK
Waterproof Sealant 90° Magnet
8,10mm | Glass Thickness
300,220cm | Length
PVC | Material



PCA-S10-BK
Waterproof Sealant 180° Magnet
8,10mm | Glass Thickness
300,220cm | Length
PVC | Material




PCA-S11-BK
Waterproof Sealant
10mm | Glass Thickness
300,220cm | Length
12mm | Wing Length
PVC | Material




PCA-S12-BK
Waterproof Sealant
8,10mm | Glass Thickness
300,220cm | Length
16mm | Wing Length
PVC | Material




PCA-SH31
Glass - Wall Hinge
10mm | Glass Thickness
40 kg | Max. Weight
Zinc Alloy,Stainless Steel 304| Material
Satin, Polished, Black Anodize | Finish



PCA-SH33
Glass - Wall Hinge
10mm | Glass Thickness
40 kg | Max. Weight
Zinc Alloy,Stainless Steel 304| Material
Satin, Polished, Black Anodize | Finish




PCA-SH35
135° Glass - Glass Hinge
10mm | Glass Thickness
40 kg | Max. Weight
Zinc Alloy,Stainless Steel 304| Material
Satin, Polished, Black Anodize | Finish




 SH35 REQUIRES 45° GLASS GRINDING





PCA-SH36
180° Glass - Glass Hinge
10mm | Glass Thickness
40 kg | Max. Weight
Zinc Alloy,Stainless Steel 304| Material
Satin, Polished, Black Anodize | Finish





PCA-SH37
90° Glass - Glass Hinge
10mm | Glass Thickness
40 kg | Max. Weight
Zinc Alloy,Stainless Steel 304| Material
Satin, Polished, Black Anodize | Finish







PCA-SH01
Glass - Wall Hinge
 10mm | Glass Thickness
 40 kg | Max. Weight
 Zinc Alloy, Stainless Steel 304 | Material
 Satin, Polished, Black Anodize | Finish





PCA-SH03
Glass - Wall Hinge
 10mm | Glass Thickness
 40 kg | Max. Weight
 Zinc Alloy, Stainless Steel 304 | Material
 Satin, Polished, Black Anodize | Finish





PCA-SH05
135° Glass - Glass Hinge
 10mm | Glass Thickness
 40 kg | Max. Weight
 Zinc Alloy, Stainless Steel 304 | Material
 Satin, Polished, Black Anodize | Finish



SH35 REQUIRES 45° GLASS GRINDING





PCA-SH06
180° Glass - Glass Hinge
 10mm | Glass Thickness
 40 kg | Max. Weight
 Zinc Alloy, Stainless Steel 304 | Material
 Satin, Polished, Black Anodize | Finish





PCA-SH07
90° Glass - Glass Hinge
 10mm | Glass Thickness
 40 kg | Max. Weight
 Zinc Alloy, Stainless Steel 304 | Material
 Satin, Polished, Black Anodize | Finish







PCA-SH49
Glass - Wall Hinge
10-12mm | Glass Thickness
50 kg | Max. Weight
Brass | Material
Satin, Polished, Black Anodize | Finish

Double action 90°




PCA-SH50
Adjustable Glass - Wall Hinge
8-10mm | Glass Thickness
45 kg | Max. Weight
Brass | Material
Satin, Polished | Finish

Double action 90°
Adjustable corner from 0° to 10°




PCA-SH51
Glass - Wall Hinge
8-10mm | Glass Thickness
45 kg | Max. Weight
Brass | Material
Satin, Polished | Finish

Hidden screw
Double action 90°
Adjustable corner from 0° to 10°




Double action 90°
Adjustable corner from 0° to 10°




PCA-SH52
180° Adjustable Glass - Glass Hinge
8-10mm | Glass Thickness
45 kg | Max. Weight
Brass| Material
Satin, Polished | Finish

SHOWER CABIN



HIDDEN SCREWS - MINIMAL VIEW



Sliding cover



PCA-SH53
Glass - Wall Hinge
8-10mm | Glass Thickness
45 kg | Max. Weight
Brass| Material
Satin, Polished | Finish




PCA-SH54
180° Glass - Glass Hinge
8-10mm | Glass Thickness
45 kg | Max. Weight
Brass| Material
Satin, Polished | Finish




PCA-SH45

Glass - Wall Hinge

10mm | Glass Thickness
40 kg | Max. Weight
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish




Glass Cut




PCA-SH46

Glass - Glass Hinge

10mm | Glass Thickness
40 kg | Max. Weight
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish




Glass Cut




PCA-SH47

Glass - Wall Hinge



10mm | Glass Thickness
40 kg | Max. Weight
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish



Glass Cut





Glass Cut





PCA-SH48
Glass - Glass Hinge
10mm | Glass Thickness
40 kg | Max. Weight
Stainless Steel 304| Material
Satin, Polished, Black Anodize | Finish




Glass Cut



PCA-SH17
Glass - Wall Hinge
10mm | Glass Thickness
40 kg | Max. Weight
Stainless Steel 304| Material
Satin | Finish




PCA-SH18
Glass - Glass Hinge
10mm | Glass Thickness
40 kg | Max. Weight
Stainless Steel 304| Material
Satin | Finish




Glass Cut

HYDRAULIC GLASS DOOR HINGE



NEW




Glass Cut


PCA-SH55

Hydraulic Hinge

8-14mm | Glass Thickness
 60 kg | Max. Door Weight
 95° double action | Max. Opening Angle
 240cm | Max. Door Height
 100cm | Max. Door Width
 Stainless Steel | Material
 Satin, Polished | Finish



NEW



Glass Cut

PCA-SH56

Hydraulic Hinge




8-14mm | Glass Thickness
 60 kg | Max. Door Weight
 95° double action | Max. Opening Angle
 240cm | Max. Door Height
 100cm | Max. Door Width
 Stainless Steel | Material
 Satin, Polished | Finish

- Set of 1 spring hinge and 1 hydraulic hinge.
- The spring glass hinge is for restoring, hydraulic glass hinge is for soft closing, speed adjustable.
- 90° - 95° hold open function is optional.
- Easy installation, the installation method is same as normal glass hinge.
- Excellent durability, precision manufacturing technology.

PIVOT GLASS DOOR HINGE






PCA-SH20
Top or Bottom Mount Pivot Hinge
8-10mm | Glass Thickness
45 kg | Max. Weight
Brass | Material
Satin, Polished | Finish



**PCA-GC01****Glass - Wall Clamp**




10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy,Stainless Steel 304| Material
Satin, Polished | Finish



Glass Cut

**PCA-GC03****Glass - Wall Clamp**




10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy,Stainless Steel 304| Material
Satin, Polished | Finish



Glass Cut

**PCA-GC05****90° Glass - Glass Clamp**




10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy,Stainless Steel 304| Material
Satin, Polished | Finish



Glass Cut

**PCA-GC06****135° Glass - Glass Clamp**



10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy,Stainless Steel 304| Material
Satin, Polished | Finish




Glass Cut

**PCA-GC07****180° Glass - Glass Clamp**

10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy,Stainless Steel 304| Material
Satin, Polished | Finish




Glass Cut




PCA-GC31
Glass - Wall Clamp

10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy, Stainless Steel 304| Material
Satin, Polished | Finish




PCA-GC33
Glass - Wall Clamp

10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy, Stainless Steel 304| Material
Satin, Polished | Finish




PCA-GC35
90° Glass - Glass Clamp

10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy, Stainless Steel 304| Material
Satin, Polished | Finish



PCA-GC36
135° Glass - Glass Clamp

10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy, Stainless Steel 304| Material
Satin, Polished | Finish



PCA-GC37
180° Glass - Glass Clamp


10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy, Stainless Steel 304| Material
Satin, Polished | Finish



PCA-GC40

Glass - Wall Clamp


8,10mm | Glass Thickness
30 kg | Max. Weight
Brass| Material
Satin, Polished | Finish



PCA-GC41

Adjustable 90°-180° Glass Clamp


6-10mm | Glass Thickness
30 kg | Max. Weight
Brass| Material
Satin, Polished | Finish



PCA-GC42 L

Wall Mount Glass Clamp


6-10mm | Glass Thickness
30 kg | Max. Weight
Brass| Material
Satin, Polished | Finish




PCA-GC42 R

Wall Mount Glass Clamp


6-10mm | Glass Thickness
30 kg | Max. Weight
Brass| Material
Satin, Polished | Finish






PCA-GC43
Glass - Glass Clamp
10-12mm | Glass Thickness
30 kg | Max. Weight
Stainless Steel 304 | Material
Satin, Polished | Finish

SHOWER CABIN




PCA-GC44
Glass - Glass Clamp
10mm | Glass Thickness
30 kg | Max. Weight
Stainless Steel 304 | Material
Satin, Polished | Finish



Easy to install and stabilize fix glasses.




PCA-BL15
Bolt with Indicator
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish




Glass Cut



PCA-BL16
Bolt with Indicator
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish




Glass Cut




PCA-DK20
Door Knob

8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



PCA-DK21
Door Knob

8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish






PCA-DK22
Door Knob

8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish






PCA-DK03
Sliding Door Knob
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



Glass Cut






PCA-DK06
Sliding Door Knob
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



Glass Cut




PCA-DK08
Sliding Door Knob
8-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Satin, Black | Finish




Glass Cut




PCA-DK08S
Sliding Door Knob - Glued
Aluminium | Material
Natural Anodize | Finish




Glued




Glass Cut




PCA-DK04
Sliding Door Knob
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish




Glass Cut



PCA-DK18
Sliding Door Knob
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



Glass Cut






PCA-DK19
Sliding Door Knob
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



PCA-DK13A

Door Knob

8-12mm | Glass Thickness
Zinc Alloy, Brass | Material
Satin, Polished | Finish






Glass Cut



PCA-DK13B

Door Knob

8-12mm | Glass Thickness
Zinc Alloy, Brass | Material
Satin, Polished | Finish






Glass Cut



PCA-DK14

Door Knob

8-12mm | Glass Thickness
Zinc Alloy, Brass | Material
Satin, Polished | Finish






Glass Cut




PCA-DK16

Door Knob


8-12mm | Glass Thickness
Zinc Alloy, Brass | Material
Satin, Polished | Finish




Glass Cut




Glass Cut




PCA-DK15
Door Knob
8-12mm | Glass Thickness
Brass | Material
Satin, Polished | Finish




Glass Cut



PCA-DK11
Door Knob
8-12mm | Glass Thickness
Brass | Material
Satin | Finish





Glass Cut



PCA-DK24
Door Knob
6-12mm | Glass Thickness
Brass | Material
Satin, Polished, Black Anodize | Finish





PCA-HS03
ø25mm Shower Cabin Handle
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



Glass Cut





PCA-HS04
ø25mm Shower Cabin Handle
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



Glass Cut





PCA-HS05
ø25mm Shower Cabin Handle
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish




Glass Cut




PCA-HS06
ø25mm Shower Cabin Handle
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



Glass Cut




Glass Cut




PCA-HS10
25x15mm Shower Cabin Handle
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish






Glass Cut




PCA-HS08
25x15mm Shower Cabin Handle
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish






Glass Cut




PCA-HS07
25x15mm Shower Cabin Handle
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish





Glass Cut




PCA-HS09
25x15mm Shower Cabin Handle
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



PCA-BR01

Support Bar Glass - Glass


8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



PCA-BR02

Support Bar Wall - Glass


8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



PCA-BR03

Corner Support Bar Wall - Glass


8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



PCA-BR04

Corner Support Bar Wall - Glass

8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



Shower Cabins & WC Partitions 8

Doors & Office Partitions 81

Facades 169

Folding 199

Guillotine 209

Spiders 215

Balcony Railings 225

Inox Railings 273


Staircase 293

Canopies 297

Miscellaneous & Consumables 307



SOFTCLOSE SLIDING DOOR SERIES | D



SPECIFICATIONS

GLASS THICKNESS : 10 mm






MAX. LOAD : 80kg

FUNCTION : SOFTCLOSE


MATERIAL : Aluminium

FINISH : Satin, Natural Anodize & Black Anodize







TYPOLOGIES




D 1000




D 1002



D 3000



D 3001




D 3002

SLIDING DOORS








SPECIFICATIONS

GLASS THICKNESS : 10 mm


MAX. LOAD : 80kg

MATERIAL : Aluminium & Stainless Steel


FINISH : Satin & Natural Anodize




Skylight installation




TYPOLOGIES




B 1000




B 1002




B 1004




B 1005




B 2000



B 3000



B 3001




B 3002

SLIDING DOORS



SLIDING DOOR SERIES | SA

SLIDING DOORS



SPECIFICATIONS


GLASS THICKNESS : 10-12 mm

MAX. LOAD : 80kg



MATERIAL : Stainless Steel


FINISH : Satin






Skylight installation







SA 1000



SA 1002



SA 1004



SA 1005





TELESCOPIC SYNCHRONIZED SLIDING DOOR

V1000

SLIDING DOORS



SPECIFICATIONS

GLASS THICKNESS : 10 mm


MAX. LOAD : 80kg

FUNCTION : TELESCOPIC SYNCHRONIZATION



MATERIAL : Aluminium

FINISH : Satin & Natural Anodize








V 1002 - MODEL



V 1003 - MODEL





SPECIFICATIONS

GLASS THICKNESS : 6,8 mm

MAX. LOAD : 80kg

FUNCTION : SOFTCLOSE

MATERIAL : Aluminium


FINISH : Satin & Natural Anodize & Black Anodize




SOFTCLOSE SLIDING DOOR SERIES

| **V2000**






PANEL < 637mm —————> NO SOFTCLOSE
637mm >= PANEL > 1012mm —————> 1 SOFTCLOSE
1012mm >= PANEL >= 1250mm —————> 2 SOFTCLOSE




TYPOLOGIES


SLIDING DOORS




V 2001
Ceiling Installation




V 2002
Ceiling Installation




V 2003
Ceiling Installation




V 2004
Ceiling Installation




V 2005
Front Installation




V 2006
Front Installation




V 2007
Front Installation




V 2008
Ceiling Installation




V 2009
Ceiling Installation






V 2010
Ceiling Installation





V 2001



V 2002







Material: Aluminium
Finish: Satin, Natural Anodize, Black Anodize
Glass Thickness: 6mm, 8mm
Maximum Dimensions: 1000x3000, 1200x2500, 1400x2000


PRODUCT LIST




PCA-GT31
Guide Track Profile
580 cm | Length
Aluminium | Material
Natural Anodize, Satin, Black | Finish




PCA-GT31-3
Guide Track Profile
580 cm | Length
Aluminium | Material
Natural Anodize, Satin, Black | Finish




PCA-RH31
Roller Hanger
40kg/piece | Max. Weight
10mm | Glass Thickness
Stainless Steel | Material
Black | Finish





PCA-GG17
Guide Track Profile
580 cm | Length
Aluminium | Material
Natural Anodize, Satin, Black | Finish






PCA-GT01
Guide Track Profile
600cm | Length
Stainless Steel 304 | Material
Satin | Finish

Glass Cut




PCA-RH03
Round Track Roller Hanger
80kg | Max. Weight
10mm | Glass Thickness
Stainless Steel | Material
Satin | Finish




PCA-HL21
Round Track-Wall Holder
40kg | Max. Weight
Stainless Steel | Material
Satin | Finish

Glass Cut




PCA-HL22
Round Track-Glass Holder
40kg | Max. Weight
10mm | Glass Thickness
Stainless Steel | Material
Satin | Finish




PCA-SP03L | SPO3R
Round Track Stop SET
Stainless Steel | Material
Satin | Finish




PCA-RH08
Roller Hanger
40kg | Max. Weight
10mm | Glass Thickness
Stainless Steel | Material
Satin | Finish




Glass Cut




PCA-RH09
Roller Hanger
40kg | Max. Weight
10mm | Glass Thickness
Stainless Steel | Material
Satin | Finish




Glass Cut




PCA-SP06
Stop
PVC | Material
White | Finish




Glass Cut




PCA-HL16
Track-Glass Holder
20kg | Max. Weight
10mm | Glass Thickness
Stainless Steel | Material
Satin | Finish




PCA-FG08
Floor Guide
8,10,12mm | Glass Thickness
Stainless Steel | Material
Satin | Finish




PCA-HL18
Track Holder
PVC | Material







PCA-HL17
Track Holder
PVC| Material




PCA-GT04
Guide Track Profile
580 cm | Length
1,248kg | Weight/meter
Aluminium| Material
Natural Anodize,Satin | Finish




PCA-GT05
Guide Track Profile
580 cm | Length
1,802kg | Weight/meter
Aluminium| Material
Natural Anodize,Satin | Finish



PCA-GT06
Guide Track Profile
580 cm | Length
1,505kg | Weight/meter
Aluminium| Material
Natural Anodize,Satin | Finish






PCA-HL15
Guide Track Fixing Profile
120 mm | Length
0,915kg | Weight/meter
Aluminium| Material
Satin | Finish



PCA-PH01
Door Handle
8,10mm | Glass Thickness
Stainless Steel| Material
Natural Anodize,Satin,Black | Finish






Including Very Hi-Bond Adhesive Tape





Glass Cut

PCA-DK08
Sliding Door Knob
8-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Satin, Black | Finish



Glass Cut



PCA-DL09
Sliding Door Lock
8,10mm | Glass Thickness
Stainless Steel| Material
Satin | Finish



Glass Cut

PCA-DL09B
Sliding Door Lock
8,10mm | Glass Thickness
Stainless Steel| Material
Satin | Finish









PCA-HD13
Door Handle 38x25 mm
10 mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish

AVAILABLE DIMENSIONS

	HEIGHT	C-C-D	C-C-W
HD01A	60cm	36cm	
HD01B/HD01BW	80cm	50cm	62,5cm
HD01C/HD01CW	100cm	60cm	82,5cm
HD01D/HD01DW	120cm	80cm	90cm
HD01E/HD01EW	150cm	100cm	102,5cm
HD01F/HD01FW	180cm	120cm	130cm
HD01G	200cm	140cm	
HD01H	50cm	23cm	



PCA-HD01
Door Handle Ø38mm
10 mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish





Glass Cut

AVAILABLE DIMENSIONS

	HEIGHT	C-C-D
HD03A	64cm	60cm
HD03B	104cm	100cm
HD03C	144cm	140cm
HD03D	36cm	32cm

PCA-HD03
Door Handle 25x38 mm
 10 mm | Glass Thickness
 Stainless Steel 304 | Material
 Satin | Finish



Glass Cut



HD06



HD06A



PCA-HD06
Door Lock - Handle Ø35mm
 10-12 mm | Glass Thickness
 Stainless Steel 304 | Material
 Satin | Finish



Glass Cut




PCA-HD14
Door Lock - Handle Ø35mm
 10-12 mm | Glass Thickness
 Stainless Steel 304 | Material
 Satin | Finish





FRAME DOORS

A1 | GT10 & GT09 profile





pg. 116

A2 | GT11 profile




pg. 117

A3 | GT13 profile




pg. 118



A4 | GT12 profile




pg. 119



GT09 | GT10 Frame Section Details








DOORS






GT11 and GT11 with GT11B Frame Section Details





GT13 and GT13 with GT11B Frame Section Details







GT12 CORNER DETAIL
For 1 Door required 1 PCA-GT12 KIT



GT12 Frame Section Details








NEW

DOOR FRAME SERIES | **A5**


DOORS



GT60 | 105-160mm




A5 Door
with DH13 Hinge



A5 Door
with DH12 Hinge

A5-S SIMONSWERK HINGE



DOORS



The TECTUS Glass hinge system is capable of supporting up to 80 kg. This corresponds to a glass door with dimensions of approx. 10 x 1000 x 2700 mm using tempered safety glass measuring 8 or 10 mm thick.





FULL FRAME DOOR SERIES

| **A20**


DOORS




A21 | GT10 profile



A22 | GT11 profile





pg. 128





pg. 129

A23 | GT13 profile




pg. 130


A24 | GT12 profile




pg. 131






GT10 Frame | GT14 Door Installation







GT11|GT11-GT11B Frame | GT14 Door Section Details






GT13 Frame | GT14 Door Section Details





GT12 Frame | GT14 Door Section Details










NEW

FULL FRAME DOOR SERIES


A25

DOORS





A25 Door
GT14 frame



A25 Door
GT24 frame



A25-W Door
Wooden leaf



A25 6 mm GLASS THICKNESS



A25 8-12 mm GLASS THICKNESS



A25-W WOODEN LEAF







OFFICE PARTITIONS



A8 |

PARTITION SERIES






For GG11 Frame and GT12 Door required 2xGG11 KIT and 1xGT12 KIT





TYPOLOGIES




A9 |

PARTITION SERIES








TYPOLOGIES





A10 | PARTITION SERIES











For 1 GG08 Frame with GT12 door required 1 PCA-GG08 KIT







A11 |


PARTITION SERIES



GG12




TYPOLOGIES





DOORS & OFFICE PARTITIONS
PRODUCT LIST




PCA-GT09
Door Frame Profile
580cm | Length
2,087kg | Weight/meter
10mm | Glass Thickness
Aluminium | Material
Natural Anodize, Satin | Finish




PCA-GT10
Door Frame Profile
580cm | Length
Aluminium | Material
Natural Anodize, Satin | Finish



PCA-GT11
Door Frame Profile
580cm | Length
0,822kg | Weight/meter
Aluminium | Material
Natural Anodize, Satin, Black Anodize | Finish






PCA-GT13
Door Frame Profile

580cm | Length
0,887kg | Weight/meter
Aluminium | Material
Natural Anodize, Satin | Finish




PRODUCT LIST



PCA-GT11B
Door Frame Alignment Profile

580 cm | Length
0,307kg | Weight/meter
Aluminium | Material
Natural Anodize, Satin | Finish





PCA-GT12
Door Frame Profile

580 cm | Length
10mm | Glass Thickness
1,447kg | Weight/meter
Aluminium | Material
Natural Anodize, Satin, Black Anodize | Finish



NEW


**PCA-GT60****Door Frame Profile**



580cm | Length

2,373 kg | Weight/meter

Aluminium | Material

Natural Anodize, Satin, Black Anodize | Finish









PCA-GG06
Partition Profile
580 cm | Length
10mm | Glass Thickness
1,960kg | Weight/meter
Aluminium| Material
Natural Anodize,Satin, Black Anodize| Finish



PRODUCT LIST



PCA-GG11
Partition Profile
580 cm | Length
8,10,12mm | Glass Thickness
0,747kg | Weight/meter
Aluminium| Material
Natural Anodize,Satin | Finish





PCA-GG12
Door Frame Profile
580cm |Length
kg | Weight/meter
10mm | Glass Thickness
Aluminium| Material
Natural Anodize,Satin, Black Anodize | Finish









PCA-GG08
Door Frame Profile
580cm | Length
8,10,12mm | Glass Thickness
Aluminium | Material
Natural Anodize,Satin, Black Anodize | Finish





PCA-GG08-U
Door Frame Profile
350cm | Length
8,10,12mm | Glass Thickness
Aluminium | Material
Natural Anodize,Satin, Black Anodize | Finish




PCA-GG08-S
Door Frame Profile
580cm | Length
8,10,12mm | Glass Thickness
Aluminium | Material
Natural Anodize,Satin, Black Anodize | Finish




PCA-GG08-C
Door Frame Profile
350cm | Length
8,10,12mm | Glass Thickness
Aluminium | Material
Natural Anodize,Satin, Black Anodize | Finish







GG08-9



GG08-6U




GG08-5



Glass Support | 2PCS / Panel

GG08-8



GG08C

GG08-U Connection



PCA-GTA
Fixing Rubber
60m Roll | Unit
PVC | Material
Grey,White,Black, RAL7015|Finish



10mm



12mm

PCA-GTB
Fixing Rubber
120m Roll | Unit
PVC | Material
10,12mm | Glass Thickness
Grey,White,Black, RAL7015|Finish



PCA-GTC
Fixing Rubber
60m Roll | Unit
PVC | Material
Grey,White,Black, RAL7015|Finish



PCA-GTZ
Fixing Rubber
180m Roll | Unit
PVC | Material
Grey,Black|Finish



PCA-GTD
GG17 Rubber
30m Roll | Unit
PVC | Material
Black | Finish



PCA-GG11A
Fixing Rubber
120m Roll | Unit
PVC | Material
Grey,White,Black, RAL7015|Finish



8mm



10mm



12mm

PCA-GG11B
Fixing Rubber
120m Roll | Unit
PVC | Material
8,10,12mm | Glass Thickness
Grey,White,Black, RAL7015|Finish



A




B

PCA-GTQ
Fixing Rubber
60m Roll | Unit
PVC | Material
Grey,White,Black, RAL7015|Finish




PCA-DGP-AG02
Fixing Rubber
60m Roll | Unit
PVC | Material
Grey,White,Black, RAL7015|Finish







PCA-GG06EC
End Cap
Stainless Steel | Material
Natural Anodize, Satin | Finish




PCA-GG11EC | GG12EC
End Cap
Stainless Steel | Material
Natural Anodize, Satin | Finish




PCA-GT04EC
End Cap
Stainless Steel | Material
Natural Anodize, Satin | Finish




PCA-GT06EC
End Cap
Stainless Steel | Material
Natural Anodize, Satin | Finish



PCA-GT31EC-R | GT31EC-L
End Cap
Stainless Steel | Material
Natural Anodize, Satin | Finish




PCA-TC01
GT01 Track End Cap
Stainless Steel | Material
Satin | Finish




PCA-GG06D
Adjustment Block
Aluminium | Material
Mill | Finish


FIXING CORNERS



PCA-GGX | PCA-GGT | PCA-GGL
Floor Fixing Corner
Galvanized Steel | Material



PCA-GT09 KIT
Fixing Corner
 Aluminium | Material
 Mill | Finish



PCA-GT10 KIT
Fixing Corner
 Aluminium | Material
 Mill | Finish



PCA-GT11 KIT
Fixing Corner
 Aluminium | Material
 Mill | Material




PCA-GT12 KIT
Fixing Corner
 Galvanized Steel , Aluminium | Material
 Mill | Material




PCA-GT13 KIT
Fixing Corner
 Aluminium | Material
 Mill | Finish



PCA-GG06 KIT
Fixing Corner
 Galvanized Steel , Aluminium | Material
 Mill | Finish



PCA-GG08 KIT
Fixing Corner
 Galvanized Steel | Material



PCA-GG11 KIT
Fixing Corner
 Galvanized Steel | Material



PCA-GG12 KIT
Fixing Corner
 Galvanized Steel | Material



PCA-GT60 KIT
Fixing Corner
 Galvanized Steel | Material


PCA-S31 | S32 | S33 | S34
Clear Joint Strips
 320cm | Length
 10mm | Glass Thickness
 PVC | Material
 Extra Clear | Finish




Including Transparent Acrylic Double-Sided Hi-Bond Adhesive Tape

NEW


12mm or 12,76mm
 glass thickness




S31-12




S31






S32



S33





S34



GG16 NESTING BOARD



Nesting Baseboard

Removable Area for
 LED Installation




PCA-GG16
Door Frame Track
 0,947 | Weight/meter
 440 cm | Length
 Aluminium | Material
 Natural Anodize, Satin, RAL | Finish







Glass Cut



PCA-DH15
3D Door Hinge
10mm | Glass Thickness
80 kg | Max. Load
Aluminium | Material
Natural Anodize, Satin | Finish




Installation Detail with GT10




PCA-DH-3D
Door Hinge 3D Adjustment Plate
Stainless Steel 304 | Material



PCA-DH12
Door Hinge
10mm | Glass Thickness
50 kg | Max. Load
Aluminium| Material
Natural Anodize, Satin, Black | Finish




PCA-DH13
Door Hinge
10mm | Glass Thickness
50 kg | Max. Load
Aluminium| Material
Natural Anodize, Satin, Black | Finish



 DH12 and DH13 Hinges can be installed with all door frame profiles.




PCA-DH-2D
Door Hinge 2D Adjustment Plate
Stainless Steel 304 | Material








PCA-DL04
Door Lock
10mm | Glass Thickness
Aluminium| Material
Natural Anodize,Satin, Black Anodize | Finish




Glass Cut



PCA-DL04B
Door Lock Counter Plate
10mm | Glass Thickness
Aluminium| Material
Natural Anodize,Satin, Black Anodize| Finish







Glass Cut



CNC machinery required



PCA-DL07A
Door Lock
10mm | Glass Thickness
Aluminium| Material
Natural Anodize,Satin | Finish




PCA-DL09A
DL04 Strike Plate
Aluminium| Material
Natural Anodize,Satin, Black Anodize | Finish




NEW



PCA-DL33
Door Lock
8,10mm | Glass Thickness
Aluminium| Material
Natural Anodize, Satin, Black Anodize | Finish




Glass Cut






PCA-DL33A
Door Lock

8,10mm | Glass Thickness
Aluminium| Material
Natural Anodize, Satin, Black Anodize | Finish




PCA-GT14
Door Frame Track

0,947| Weight/meter
580 cm | Length
6-8mm | Glass Thickness
Aluminium| Material
Natural Anodize, Satin, Black Anodize| Finish




PCA-GT24
Door Frame Track


1,049| Weight/meter
580 cm | Length
8-12mm | Glass Thickness
Aluminium| Material
Natural Anodize, Satin, Black Anodize| Finish



PCA-GT14A KIT
KIT For GT09,GT10 Door Frame
Stainless Steel| Material




PCA-GT14B KIT
KIT For GT11,GT12, GT13 Door Frame
Stainless Steel| Material



Door Lock for GT14




PCA-GT14-DL
GT14 Door Lock
6mm | Glass Thickness
Aluminium | Material
Natural Anodize, Satin, Black Anodize | Finish




Magnetic Strike Plate

Glass Cut



Door Lock for GT14



PCA-GT14-DL2
Door Lock
6mm | Glass Thickness
Aluminium | Material
Natural Anodize, Satin, Black | Finish



NEW





Bolt



6mm glass
S35 polycarbonate


8mm glass
No polycarbonate



PCA-GT14-2
GT14 frame for double door
1,490 | Weight/meter
350 cm | Length
6-8 mm | Glass Thickness
Aluminium | Material
Natural Anodize, Satin, Black Anodize | Finish




PCA-LH01
Aluminium | Material
Natural Anodize, Satin, Black Anodize | Finish



NEW



PCA-LH02
Aluminium | Material
Natural Anodize, Satin, Black Anodize | Finish




NEW

The handles are suitable on **GT14DL**, **GT14DL2** and **DL04** door locks.




PCA-GT24-DL
GT24 Door Magnet Lock
 8-12mm | Glass Thickness
 Aluminium | Material
 Natural Anodize, Satin, Black Anodize | Finish



NEW




PCA-GT24-DL2
GT24 Door Handle
 8-12mm | Glass Thickness
 Aluminium | Material
 Natural Anodize, Satin, Black Anodize | Finish



NEW



PCA-GT24-DL3
GT24 WC Door Magnet Lock
 8-12mm | Glass Thickness
 Aluminium | Material
 Natural Anodize, Satin, Black Anodize | Finish



NEW



CROSS PROFILES

NEW


PCA-GT16-1

Cross Profile

350cm |Length

Aluminium| Material

Natural Anodize,Satin, Black Anodize | Finish



OPTIONAL
TESA TAPE




PCA-GT16-2

Cross Profile

350cm |Length

Aluminium| Material

Natural Anodize,Satin, Black Anodize | Finish



OPTIONAL
TESA TAPE




PCA-GT16-4

Cross Profile

580cm |Length

Aluminium| Material

Natural Anodize,Satin, Black | Finish



OPTIONAL
TESA TAPE



NEW


PCA-GT16-5

Cross Profile


580cm |Length

Aluminium| Material

Natural Anodize,Satin, Black | Finish



OPTIONAL
TESA TAPE




PCA-GT14-H

Cross Profile


580cm |Length

Aluminium| Material

Natural Anodize,Satin, Black | Finish



NEW




PCA-GT24-H

Cross Profile

580cm |Length

Aluminium| Material

Natural Anodize,Satin, Black | Finish




NEW


NEW




8mm glass
S38 polycarbonate



10mm glass
S38 polycarbonate



12mm glass
S38 polycarbonate



PCA-GT34

Door Frame Track

1,631 | Weight/meter

350 cm | Length


8-12mm | Glass Thickness

Aluminium | Material

Natural Anodize, Satin, Black Anodize | Finish



Compatible with **drop seal WB02** and **door closer DC03**.




NEW

PCA-WB01

Drop Seal

100cm | Length

Aluminium/EPDM | Material




NEW

PCA-WB02

Drop Seal (GT34)

100cm | Length

Aluminium/EPDM | Material



NEW

PCA-SP16

Floor Stop

Stainless Steel 304 | Material

Satin | Finish



Shower Cabins & WC Partitions 8

Doors & Office Partitions 81

Facades 169

Folding 199

Guillotine 209

Spiders 215

Balcony Railings 225

Inox Railings 273

Staircase 293

Canopies 297

Miscellaneous & Consumables 307

WR1 |


FACADES SERIES




TYPOLOGIES

FACADES


WR100




WR101




WR102




WR103




WR104




WR105



WR106



WR107





FH01



FH02



ML01



KZ01



DL23



FH03



FH04



GC19



HD03A
(Optional)

DESCRIPTION:
-Material SS304 Satin
-Fit for 10 - 12mm tempered glass


WR2 |

FACADES SERIES




TYPOLOGIES


FAÇADES




WR200




WR201




WR202




WR203




WR204



WR205



WR206



WR207



FH26



FH27



ML03



KZ02



DL27



FH28



FH29



FH22



HD03A
(Optional)

DESCRIPTION:
-Material SS304 Satin
-Fit for 10 - 12mm tempered glass

WS1


|

FACADES SERIES




TYPES


FACADES




WS100




WS101




WS102




WS103




WS104



WS105



WS106



WS107



FH12-A



FH13



ML03



KZ01



DL21



FH11



FH10



FH15




HD01A
(Optional)


DESCRIPTION:
-Material SS304 Satin
-Fit for 10 - 12mm tempered glass




FH30 Top



FH30 Bottom



PCA-FH30
Facade Top & Bottom Fitting SET
8-12mm | Glass Thickness
60 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish



1 x FH30 SET
top & bottom





1 x ML03



1 x DL27



1 x HD03A
(Optional)



Glass Cut

- DESCRIPTION:
- Material SS304 Satin
 - Fit for 8-12mm tempered glass
 - Max width 1000mm, Max weight capacity 60 kg
 - 4° alignment adjustment
 - Max open at 150 degree, hold open at 90 degree
 - 1,6 cm adjustment
 - Durability 500.000 cycles testing



NEW

HYDRAULIC GLASS DOOR HINGE

FACADES



PCA-FH31
Hydraulic Hinge
8-14mm | Glass Thickness
100 kg | Max. Door Weight
95° double action | Max. Opening Angle
240cm | Max. Door Height
100cm | Max. Door Width
Stainless Steel | Material
Satin | Finish




-Compatible with upper patch **FH02** or **FH27**



DESCRIPTION:
-Material SS304 Satin
-Fit for 8-14mm tempered glass
-Max width 1000mm, Max weight capacity 100 kg
-Two speed adjustment
-Max open at 150 degree, hold open at 90 degree
-Durability 500.000 cycles testing

W1 |



FACADE SERIES



GG07



FACADES








PCA-GG07
Partition Profile

580 cm | Length
10-12mm | Glass Thickness
1,747kg | Weight/meter
Aluminium | Material
Natural Anodize, Satin | Finish

W2 |

FACADE SERIES





PCA-GG13
Partition Profile

580 cm | Length
10-12mm | Glass Thickness
0,806kg | Weight/meter
Aluminium | Material
Natural Anodize, Satin | Finish



With regular arm and fire oil

PCA-DC01
Door Closer Mechanism
80 kg | Max. Weight
Stainless Steel 304 | Material
Natural Anodize | Finish







With sliding arm

PCA-DC02
Door Closer Mechanism
80 kg | Max. Weight
Stainless Steel 304 | Material
Natural Anodize | Finish





With sliding arm

PCA-DC03
Concealed Door Closer
80 kg | Max. Weight
Stainless Steel 304 | Material
Natural Anodize | Finish







PCA-FH01
Facade Bottom Fitting
10-12mm | Glass Thickness
60 kg | Max. Weight
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish



Glass Cut





PCA-FH02
Facade Top Fitting
10-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish



Glass Cut





PCA-FH03
Facade Top Fitting
10-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish



Glass Cut





PCA-FH04
Facade Top Fitting
10-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish





Glass Cut



PCA-FH04A
Facade Top Fitting
10-12mm | Glass Thickness
Aluminium | Material
Natural Anodize, Satin | Finish





Glass Cut



**PCA-FH26
Facade Bottom Fitting**

10-12mm | Glass Thickness
80 kg | Max. Weight



Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish



**PCA-FH27
Facade Top Fitting**

10-12mm | Glass Thickness



Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish



**PCA-FH28
Facade Top Fitting**

10-12mm | Glass Thickness

Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish



**PCA-FH29
Facade Top Fitting**



10-12mm | Glass Thickness

Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish









PCA-DL21
Door Lock
10-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish




PCA-DL23
Door Lock
10-12mm | Glass Thickness
Aluminium | Material
Natural Anodize | Finish




PCA-DL27
Door Lock
10-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish




PCA-DL25
Additional Door Lock
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



MAGNETIC PIN




Glass Cut




PCA-BL12
Magnetic Door Lock
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish


MAGNETIC PIN





Glass Cut




PCA-BL13
Magnetic Door Lock
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish





Glass Cut




PCA-GC18
Glass - Wall Clamp
25 kg | Max. Weight
10-12mm | Glass Thickness
Aluminium | Material
Natural Anodize | Finish





Glass Cut




PCA-GC19
Glass - Glass Clamp
25 kg | Max. Weight
10-12mm | Glass Thickness
Aluminium | Material
Natural Anodize | Finish





Glass Cut



PCA-GC19B
Glass - Glass Clamp
25 kg | Max. Weight
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish




Glass Cut




PCA-FH22
Glass - Glass Fitting
25 kg | Max. Weight
10-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish



PCA-KP01
Floor Socket
Stainless Steel 304 | Material
Satin | Finish




PCA-KP03
Floor Socket
Stainless Steel 304 | Material
Satin | Finish







PCA-FC06
90° Glass - Glass Clamp
10-12mm | Glass Thickness
40 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish




PCA-FC07
90° Glass - Wall Clamp
10-12mm | Glass Thickness
40 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish




PCA-FC08
Glass - Glass Clamp
10-12mm | Glass Thickness
40 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish




PCA-SP11
Stop
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish




PCA-SP12
Stop
Stainless Steel 304 | Material
Satin | Finish







Ø 26-32 Glass Hole




PCA-FC01
Facade Glass - Glass Clamp
10-12mm | Glass Thickness
50 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish




Ø 26-32 Glass Hole




PCA-FC02
Facade Wall - Glass Clamp
10-12mm | Glass Thickness
50 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish




Ø 26-32 Glass Hole



PCA-FC03
Facade Wall - Glass Clamp
10-12mm | Glass Thickness
50 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish



Ø 26-32 Glass Hole




PCA-FC04
Facade Wall - Glass Clamp
10-12mm | Glass Thickness
50 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish




PCA-FH12-A | FH12-B
Bottom Patch Fitting
100 kg | Max. Weight
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish

Bottom




Glass Cut




PCA-FH13
Top Patch Fitting
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish


Bottom




Glass Cut




PCA-FH10L
Patch Fitting
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish




Glass Cut




PCA-FH10R
Patch Fitting
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish




Glass Cut



PCA-FH11
Patch Fitting
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish





Glass Cut




PCA-FH15
Patch Fitting

10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish




PCA-FC09
Top Patch Fitting

10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish





PCA-FC10
Patch Fitting

10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



SP10B



SP10




PCA-SP10
Floor Stop


Stainless Steel 304 | Material
Satin | Finish




PCA-ML01
Top Pivot Ø12mm
50 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish




PCA-ML03
Top Pivot Ø15mm
50 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish




PCA-KZ01
Bottom Pivot
50 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish




PCA-KZ02
Bottom Pivot
50 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish







**PCA-650
Floor Spring**
100 kg | Max. Weight
950mm|Max. Width
Opening Angle 130 ° , Stop Angle 90 ° |Opening Angle
Stainless Steel 304 | Material
Satin | Finish




**PCA-840
Floor Spring**
120 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish



**PCA-800
Floor Spring**
300 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish




PCA-HD01
Door Handle Ø38mm
10 mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



AVAILABLE DIMENSIONS


	HEIGHT	C-C-D	C-C-W
HD01A	60cm	36cm	
HD01B/HD01BW	80cm	50cm	62,5cm
HD01C/HD01CW	100cm	60cm	82,5cm
HD01D/HD01DW	120cm	80cm	90cm
HD01E/HD01EW	150cm	100cm	102,5cm
HD01F/HD01FW	180cm	120cm	130cm
HD01G	200cm	140cm	
HD01H	50cm	23cm	



Glass Cut




PCA-HD03
Door Handle 25x38 mm
10 mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish




AVAILABLE DIMENSIONS


	HEIGHT	C-C-D
HD03A	64cm	60cm
HD03B	104cm	100cm
HD03C	144cm	140cm
HD03D	36cm	32cm




Glass Cut



PCA-HD13
Door Handle 38x25 mm
 10 mm | Glass Thickness
 Stainless Steel 304 | Material
 Satin | Finish



PCA-BL08
Glass-Glass Bolt
 10,12 mm | Glass Thickness
 Zinc Alloy | Material
 Satin | Finish




PCA-BL08S
Wall-Glass Bolt
 10,12 mm | Glass Thickness
 Zinc Alloy | Material
 Satin | Finish


HD06



HD06A




PCA-HD06
Door Lock - Handle Ø35mm
10-12 mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish




Glass Cut

NEW


FACADES




Glass Cut




PCA-HD14
Door Lock - Handle Ø35mm
 10-12 mm | Glass Thickness
 Stainless Steel 304 | Material
 Satin | Finish




PCA-S13
Brush Waterproof Seal
10,12mm | Glass Thickness
220, 250, 300, 350 cm | Length
PVC | Material




PCA-S14
Brush Waterproof Seal
10 mm | Glass Thickness
250 cm | Length
PVC | Material




PCA-S14A
Brush Waterproof Seal
10 mm | Glass Thickness
250 cm | Length
PVC | Material



PCA-S17
Waterproof Seal
8,10mm | Glass Thickness
220 cm | Length
PVC | Material



PCA-S18
Waterproof Seal
10,12mm | Glass Thickness
250, 300, 400cm | Length
PVC | Material



PCA-S20
Brush Waterproof Seal
10mm | Glass Thickness
280 cm | Length
Aluminium | Material
Natural Anodize | Finish




Shower Cabins & WC Partitions	8
Doors & Office Partitions	81
Facades	169
Folding	199
Guillotine	209
Spiders	215
Balcony Railings	225
Inox Railings	273
Staircase	293
Canopies	297
Miscellaneous & Consumables	307

DR01


FOLDING SERIES




SHOCK DOOR INSTALLATION




DR02 | FOLDING SERIES









PCA-GT21
Rail Track Profile
580cm | Length
Aluminium | Material
Natural Anodize | Finish




PCA-GT22
Guide Track Profile
580cm | Length
Aluminium | Material
Natural Anodize | Finish




PCA-GT22L
90° Guide Track Junction
Aluminium | Material
Natural Anodize | Finish



PCA-GT22T-L | GT22T-R
T Guide Track Junction
Aluminium | Material
Natural Anodize | Finish




PCA-IC01 | IC02 | IC03
Facade Fitting
10mm | Glass Thickness
20cm, 30cm, 40cm | Length
Aluminium | Material
Satin | Finish




PCA-IC04 | IC05
Facade Fitting
12mm | Glass Thickness
30cm, 40cm | Length
Aluminium | Material
Satin | Finish






PCA-RH12
Roller Hanger

100 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish




PCA-BL09
Inner Bolt

Stainless Steel | Material
Satin | Finish




PCA-BL10
Inner Bolt

Stainless Steel | Material
Satin | Finish



PCA-DL24
Inner Door Lock

Aluminium | Material
Satin | Finish




PCA-FH19
Door Bottom Pivot


Stainless Steel | Material
Satin | Finish




PCA-ML05/FH18
Top Pivot
 PVC & Aluminium | Material
 Black & White | Finish




PCA-FH21
Door Bottom Pivot
 Stainless Steel | Material
 Satin | Finish




PCA-SP13
Stop
 PVC & Stainless Steel | Material
 Satin | Finish




PCA-FH20
Rail Hinge
 Stainless Steel | Material
 Black | Finish




PCA-FD01
Sliding Door System
 Aluminium | Material
 Natural Anodize | Finish







**PCA-TC05
End Cap**
PVC | Material
Black | Finish



**PCA-TC06
End Cap**
PVC | Material
Black | Finish



**PCA-TC07
End Cap**
PVC | Material
Black | Finish




**PCA-KP02
Floor Socket**
Stainless Steel | Material
Satin | Finish







PCA-S13
Brush Waterproof Seal
10,12mm | Glass Thickness
220, 250, 300, 350 cm | Length
PVC | Material



PCA-S16A
Waterproof Seal
10mm | Glass Thickness
300cm | Length
PVC | Material



PCA-S18
Waterproof Seal
10,12mm | Glass Thickness
220, 250, 300, 400cm | Length
PVC | Material



Shower Cabins & WC Partitions	8
Doors & Office Partitions	81
Facades	169
Folding	199
Guillotine	209
Spiders	215
Balcony Railings	225
Inox Railings	273
Staircase	293
Canopies	297
Miscellaneous & Consumables	307

GL1 | GUILLOTINE SERIES











DESCRIPTION:





- Material Aluminium
- Mill finish
- Fit for 8mm tempered glass & 26mm double glazed tempered glass.
- Max width 3500 mm
- Upward and downward function
- Electrical open: Somfy Motor







8mm TEMPERED GLASS





26mm DOUBLE GLAZED TEMPERED GLASS







MAXIMUM DIMENSIONS

Single glass
8mm



Double glazed
26mm



Shower Cabins & WC Partitions	8
Doors & Office Partitions	81
Facades	169
Folding	199
Guillotine	209
Spiders	215
Balcony Railings	225
Inox Railings	273
Staircase	293
Canopies	297
Miscellaneous & Consumables	307


S1 | SPIDER GLAZING SERIES






S2


SPIDER GLAZING SERIES









PCA-SD01
Spider Fitting
100kg | Weight
Stainless Steel 304 | Material
Satin| Finish




PCA-SD01A
Spider Fitting
100kg | Weight
Stainless Steel 304 | Material
Satin| Finish




PCA-SD02A
Spider Fitting
100kg | Weight
Stainless Steel 304 | Material
Satin| Finish




PCA-SD02B
Spider Fitting
100kg | Weight
Stainless Steel 304 | Material
Satin| Finish



PCA-SD03
Threefold Spider Fitting
100kg | Weight
Stainless Steel 304 | Material
Satin| Finish






PCA-SD04

Fourfold Spider Fitting


100kg | Weight

Stainless Steel 304 | Material

Satin | Finish



Glass Preparation



PCA-SD05


Spider Fitting

150kg | Weight


10-20mm | Glass Thickness

Stainless Steel 304 | Material

Satin | Finish



Glass Preparation



PCA-SD06


Spider Fitting

150kg | Weight

10-20mm | Glass Thickness


Stainless Steel 304 | Material

Satin | Finish



SD05


WALL INSTALLATION




SD06




PCA-SD07
Spider Fitting
150kg | Weight
10-20mm | Glass Thickness
Ø20 | Glass Preparation
Stainless Steel 304 | Material
Satin| Finish




Glass Preparation





PCA-SD08
Spider Fitting
150kg | Weight
10-20mm | Glass Thickness
Ø20 | Glass Preparation
Stainless Steel 304 | Material
Satin| Finish



Glass Preparation





Glass Preparation



**PCA-HN03
Spider Head Fitting**

150kg | Weight
18-30mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



Glass Preparation



**PCA-HN04
Spider Head Fitting**

150kg | Weight
10-25mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish

Glass Preparation





**PCA-HN05
Spider Head Fitting**



150kg | Weight
12-25mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



PCA-SS01
Spider Fitting
 150kg | Weight
 Stainless Steel 304 | Material
 Satin | Finish



PCA-SS02
Spider Screw Fitting
 100kg | Weight
 Stainless Steel 304 | Material
 Satin | Finish




Shower Cabins & WC Partitions	8
Doors & Office Partitions	81
Facades	169
Folding	199
Guillotine	209
Spiders	215
Balcony Railings	225
Inox Railings	273
Staircase	293
Canopies	297
Miscellaneous & Consumables	307





GLASS RAILING BASES - TOP MOUNTED

M1 | RAILING BASE




Profile Holes

Profile data							
Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM01	Aluminium	Satin	5800	5,621	1,1	1	13,52 - 17,52 - 21,52
GM01	Aluminium	Natural Anodize	5800	5,621	1,1	1	13,52 - 17,52 - 21,52




System components						
13,52	Glass Thickness	GM01-12A 	GM01-12B 	GM01-12C 	GM01SF-12 	
17,52	Glass Thickness	GM01-16A 	GM01-16B 	GM01-16C 	GM01SF-16 	
21,52	Glass Thickness	GM01-20A 	GM01-20B 	GM01-20C 	GM01SF-20 	

Sets/bar					
					
Length: 6m	Length: 6m	Length: 6m	2X10 pieces	23 pieces	GM01EC (OPTIONAL)
30m Roll Unit		14m Roll Unit			



M1
GM01
TOP MOUNTED

M2 | RAILING BASE



Profile Holes


Profile data


Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM01A	Aluminium	Satin	5800	2,724	0,7	1	11,52 - 13,52
GM01A	Aluminium	Natural Anodize	5800	2,724	0,7	1	11,52 - 13,52

System components

11,52	Glass Thickness	GM01A-10A 	GM01-16B 	GM01A-10C 	GM02SF-10 
13,52	Glass Thickness	GM01A-12A 	GM01-20B 	GM01A-12C 	GM02SF-12 

Sets/bar


					
Length: 6m	Length: 6m	Length: 6m	2X10 pieces	23 pieces	GM01AEC (OPTIONAL)
30m Roll Unit		14m Roll Unit			



M2
GM01A
TOP MOUNTED

M3

RAILING BASE




Profile data							
Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM03	Aluminium	Satin	5800	3,934	0,9	1	13,52 - 17,52 - 21,52
GM03	Aluminium	Natural Anodize	5800	3,934	0,9	1	13,52 - 17,52 - 21,52

System components						
13,52	Glass Thickness	GM01-12A 	GM01-12B 	GM01-12C 	GM01SF-12 	
17,52	Glass Thickness	GM01-16A 	GM01-16B 	GM01-16C 	GM01SF-16 	
21,52	Glass Thickness	GM01-20A 	GM01-20B 	GM01-20C 	GM01SF-20 	

Sets/bar					
Length: 6m	Length: 6m	Length: 6m	2X10 pieces	23 pieces	GM03EC (OPTIONAL)
30m Roll Unit		14m Roll Unit			



M3

GM03
TOP MOUNTED





M10


RAILING BASE



Profile data							
Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM10	Aluminium	Satin	5800	5,640	1,1	1	21,52
GM10	Aluminium	Natural Anodize	5800	5,640	1,1	1	21,52

System components					
21,52	Glass Thickness	GM10-20A 	GM10-20B 	GM01-20C 	GM10-5 


Sets/bar					
					
Length: 6m	Length: 6m	Length: 6m	24 pieces	23 pieces	GM10EC (OPTIONAL)
30m Roll Unit		14m Roll Unit			



M10

GM10
TOP MOUNTED


M11 | RAILING BASE



Profile data							
Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM01-S	Aluminium	Satin	5800	6,232	1,2	1	13,52 - 17,52 - 21,52
GM01-S	Aluminium	Natural Anodize	5800	6,232	1,2	1	13,52 - 17,52 - 21,52



System components						
13,52	Glass Thickness	GM01-12A	GM01-12B	GM01-12C	GM01SF-12	
17,52	Glass Thickness	GM01-16A	GM01-16B	GM01-16C	GM01SF-16	
21,52	Glass Thickness	GM01-20A	GM01-20B	GM01-20C	GM01SF-20	

Sets/bar						
Length: 6m	Length: 6m	Length: 6m	2X10 pieces	23 pieces	24 pieces	GM01-SEC (OPTIONAL)
30m Roll Unit		14m Roll Unit				




M11
GM01-S
TOP MOUNTED


M12 | RAILING BASE



Profile data							
Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM08	Aluminium	Satin	5800	5,389	1,1	1	13,52 - 17,52 - 21,52
GM08	Aluminium	Natural Anodize	5800	5,389	1,1	1	13,52 - 17,52 - 21,52

System components						
13,52	Glass Thickness	GM01-12A 	GM01-12B 	GM01-12C 	GM01SF-12 	
17,52	Glass Thickness	GM01-16A 	GM01-16B 	GM01-16C 	GM01SF-16 	
21,52	Glass Thickness	GM01-20A 	GM01-20B 	GM01-20C 	GM01SF-20 	

Sets/bar					
					
Length: 6m	Length: 6m	Length: 6m	2X10 pieces	23 pieces	GM08EC (OPTIONAL)
30m Roll Unit		14m Roll Unit			




M12

GM08
TOP MOUNTED



M17


RAILING BASE



Profile data


Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM11	Aluminium	Satin	5800	3,700	1	1	13,52 - 17,52 - 21,52
GM11	Aluminium	Natural Anodize	5800	3,700	1	1	13,52 - 17,52 - 21,52

System components

13,52	Glass Thickness	GM11-12 	GM11B 	GM11-2  5mm adjustment block	GM11SF 
17,52	Glass Thickness	GM11-16 	GM11B 	GM11-2 	GM11SF 
21,52	Glass Thickness	GM11-20 	GM11B 	GM11-2 	GM11SF 

Sets/bar

					
Length: 6m	Length: 6m	12 pieces	2X10 pieces	23 pieces	GM11EC (OPTIONAL)
30m Roll Unit					





M17

GM11
TOP MOUNTED

M18 | RAILING BASE


NEW




Profile Holes

Profile data							
Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM12	Aluminium	Satin	3500	11,163	1,2	3	21,52 - 25,52
GM12	Aluminium	Natural Anodize	3500	11,163	1,2	3	21,52 - 25,52


System components						
21,52	Glass Thickness	 GM12-24	 GM12-20	 GM01-12B	 5mm adjustment block	 GM12-5
25,52	Glass Thickness	 GM12-24		 GM01-16B	 5mm adjustment block	 GM12-5

Sets/bar						
	 OR 				 15X136	
Length: 3500	Length: 3500	Length: 3500	8 pieces	12 pieces	29 pieces	GM12EC (OPTIONAL)
30m Roll Unit						






M18
GM12
TOP MOUNTED

3 kN MAXIMUM LOAD



M19 | RAILING BASE

NEW




Profile Holes

Profile data							
Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM13	Aluminium	Satin	3500	7,126	1,2	2	21,52 - 25,52
GM13	Aluminium	Natural Anodize	3500	7,126	1,2	2	21,52 - 25,52

System components						
21,52	Glass Thickness	 GM12-24	 GM12-20	 GM01-12B	 5mm adjustment block	 GM12-5
25,52	Glass Thickness	 GM12-24		 GM01-16B	 5mm adjustment block	 GM12-5

Sets/bar						
	 OR 				 15X136	
Length: 3500	Length: 3500	Length: 3500	8 pieces	12 pieces	14 pieces	GM13EC (OPTIONAL)
30m Roll Unit						



2 kN MAXIMUM LOAD

M19
GM13
TOP MOUNTED










GLASS RAILING BASES - LATERAL FIXING

M4 | RAILING SYSTEM




Profile Holes

Profile data							
Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM04	Aluminium	Satin	5800	11,435	1,1	1	13,52 - 17,52 - 21,52
GM04	Aluminium	Natural Anodize	5800	11,435	1,1	1	13,52 - 17,52 - 21,52


System components							
13,52	Glass Thickness	GM01-12A	GM01-12B	GM01-12C	GM04SD	GM04SC	GM01SF-12
17,52	Glass Thickness	GM01-16A	GM01-16B	GM01-16C	GM04SD	GM04SC	GM01SF-16
21,52	Glass Thickness	GM01-20A	GM01-20B	GM01-20C	GM04SD	GM04SC	GM01SF-20

Sets/bar							
Length: 6m	Length: 6m	Length: 6m	2X10 pieces	23 pieces	12 pieces	29 pieces	GM04EC (OPTIONAL)
30m Roll Unit		14m Roll Unit					




M4

GM04
LATERAL




M13 | RAILING SYSTEM



Profile data							
Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM06	Aluminium	Satin	5800	2,944	1,1	1	13,52 - 17,52 - 21,52
GM06	Aluminium	Natural Anodize	5800	2,944	1,1	1	13,52 - 17,52 - 21,52


System components						
13,52	Glass Thickness	GM01-12A 	GM01-12B 	GM01-12C 	GM01SF-12 	
17,52	Glass Thickness	GM01-16A 	GM01-16B 	GM01-16C 	GM01SF-16 	
21,52	Glass Thickness	GM01-20A 	GM01-20B 	GM01-20C 	GM01SF-20 	

Sets/bar						
						
Length: 6m	Length: 6m	Length: 6m	2X10 pieces	15 pieces	14 pieces	GM06EC (OPTIONAL)
30m Roll Unit		14m Roll Unit				





M13

GM06
LATERAL




M14 | RAILING SYSTEM









Profile data							
Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM07-1	Aluminium	Mill	5800	4,700	1,1	1	17,52 - 21,52
GM07-2	Aluminium	Mill	5800	5,515	1,1	1	17,52 - 21,52
GM07-3	Aluminium	Satin	5800	0,460	1,1	1	17,52 - 21,52
GM07-3	Aluminium	Natural Anodize	5800	0,460	1,1	1	17,52 - 21,52

Sets/bar		
36 pieces	15X136 39 pieces	GM07EC (OPTIONAL)

THE GLAZING WILL BE GLUED
EXCLUSIVELY TO THE FACTORY



THE GLAZING WILL BE GLUED
EXCLUSIVELY TO THE FACTORY




M14

GM07
LATERAL

M20 | RAILING SYSTEM


NEW



Profile data							
Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM14	Aluminium	Satin	5800	5,290	1,1	1	17,52 - 21,52
GM14	Aluminium	Natural Anodize	5800	5,290	1,1	1	17,52 - 21,52

System components						
17,52	Glass Thickness	GM11-16		GM01-20B		GM11SF
					5mm adjustment block	
21,52	Glass Thickness	GM11-20		GM01-20B		GM11SF
					5mm adjustment block	


Sets/bar						
Length: 6m	Length: 6m	12 pieces	2X10 pieces	15 pieces	14 pieces	GM14EC (OPTIONAL)
30m Roll Unit						



M20

GM14
LATERAL

M16 | FRENCH RAILING SYSTEM



Profile data							
Product Code	Material	Finish	Max Width (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM05-1	Aluminium	Satin	2900	1,358	1,1	1	11,52 - 13,52 - 17,52 - 21,52
GM05-1	Aluminium	Natural Anodize	2900	1,358	1,1	1	11,52 - 13,52 - 17,52 - 21,52
GM05-2	Aluminium	Satin	2900	0,580	1,1	1	11,52 - 13,52 - 17,52 - 21,52
GM05-2	Aluminium	Natural Anodize	2900	0,580	1,1	1	11,52 - 13,52 - 17,52 - 21,52
GM05-3	Aluminium	Satin	2900	0,618	1,1	1	11,52 - 13,52 - 17,52 - 21,52
GM05-3	Aluminium	Natural Anodize	2900	0,618	1,1	1	11,52 - 13,52 - 17,52 - 21,52

Sets/bar

GM05-8A kit

GM05A


GM05B

PCA-GM05A | GM05B


Railing Profile Fixing Rubber

30m Roll | Unit






M15 | RAILING SYSTEM




Profile Holes

Profile data							
Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM09	Aluminium	Satin	5800	2,944	1,1	1	13,52 - 17,52 - 21,52
GM09	Aluminium	Natural Anodize	5800	2,944	1,1	1	13,52 - 17,52 - 21,52

System components						
13,52	Glass Thickness	GM01-12A 	GM01-12B 	GM01-12C 	GM01SF-12 	
17,52	Glass Thickness	GM01-16A 	GM01-16B 	GM01-16C 	GM01SF-16 	
21,52	Glass Thickness	GM01-20A 	GM01-20B 	GM01-20C 	GM01SF-20 	


Sets/bar					
					
Length: 5800	Length: 5800	Length: 5800	2X10 pieces	23 pieces	OPTIONAL END CAP
30m Roll Unit		14m Roll Unit			





M15
GM09
CONCEALED




M9 | RAILING SYSTEM



Profile data						
Product Code	Material	Finish	Weight (kg/pc)	Max Height (m)	Max Load (KN)	Glass Thickness
BM12	Stainless Steel 304	Satin	2,242	1,1	1	13,52 - 17,52 - 21,52
BM12	Stainless Steel 316	Satin	2,242	1,1	1	13,52 - 17,52 - 21,52

Product components					
13,52	Glass Thickness	STEEL PLATES 1piece of 5 mm 	+ 1piece of 4 mm 	 1piece	
17,52	Glass Thickness	STEEL PLATES 1piece of 3 mm 	+ 1piece of 3 mm 	 1piece	




Max Dimensions						
	10mm			12mm		
H[mm]	900	1000	1100	900	1000	1100
D[mm]	800	700	600	800	700	600




RAILING SYSTEM | **M21**

GLASS RAILINGS



Profile data						
Product Code	Material	Finish	Weight (kg/pc)	Max Height (m)	Max Load (KN)	Glass Thickness
BM13	Stainless Steel 304	Satin	1,608	1,1	1	11,52 - 13,52


Product components			
11,52	Glass Thickness	4 pieces	
13,52	Glass Thickness	4 pieces	



Max Dimensions						
	10mm			12mm		
H[mm]	900	1000	1100	900	1000	1100
D[mm]	800	700	600	800	700	600


M22 | RAILING SYSTEM

NEW



Profile data						
Product Code	Material	Finish	Weight (kg/pc)	Max Height (m)	Max Load (KN)	Glass Thickness
BM14	Stainless Steel 304	Satin	1,084	1	1	11,52 - 13,52
BM14	Stainless Steel 316	Satin	1,084	1	1	11,52 - 13,52

Product components			
11,52	Glass Thickness	4 pieces	
13,52	Glass Thickness	4 pieces	






Max Dimensions						
	10mm			12mm		
H[mm]	900	1000	1100	900	1000	1100
D[mm]	800	700	600	800	700	600






M6 | LATERAL POINT FIXING SERIES





PCA-AN13
Ø60 Adjustable Anchor Spacer
 16,20mm | Glass Thickness
 120cm | Max. Height
 1KN | Max.Load
 Stainless Steel 304 | Material
 Satin | Finish


Glass Preparation

**AN12**

Recommended glass thickness
for balcony use.

Adjustable
Max. 15mm


Glass Preparation



PCA-AN12
Ø48 Adjustable Anchor Spacer
 10-20 mm | Glass Thickness
 120cm | Max. Height
 1KN | Max.Load
 Stainless Steel 304 | Material
 Satin | Finish

M6 | LATERAL POINT FIXING SERIES

PCA-AN01 | AN02 | AN03 | AN04
Ø48 Anchor Spacer
 10-20 mm | Glass Thickness
 120cm| Max. Height
 1KN | Max.Load
 Stainless Steel 304 | Material
 Satin| Finish





AN04 available also in SS316

Ø 16 GLASS HOLE

Ø 16 GLASS HOLE

PCA-AN05 | AN06 | AN07 | AN08
Ø38 Anchor Spacer
 10-20 mm | Glass Thickness
 120cm| Max. Height
 0.5 KN | Max.Load
 Stainless Steel 304 | Material
 Satin| Finish





PCA-AN14 | AN15

Anchor Spacer

10-20 mm | Glass Thickness


1KN | Max.Load

Stainless Steel 304 | Material

Polished | Finish

NEW


GLASS RAILINGS




Glass Thickness		AN01-AN04			AN05-AN08			AN12			
16mm	H[mm]	1000	1100	1200	1000	1100	1200	1000	1100	1200	H[mm]
	C[mm]	125	150	150	125	150	150	125	150	150	C[mm]
	D[mm]	900	900	800	900	900	800	900	900	800	D[mm]
20mm	H[mm]	1000	1100	1200	1000	1100	1200	1000	1100	1200	H[mm]
	C[mm]	100	125	150	100	125	150	100	125	150	C[mm]
	D[mm]	900	900	800	900	900	800	900	900	800	D[mm]

M7 | LATERAL POINT FIXING SERIES








NO HOLES REQUIRED BETWEEN 2 GLASSES



GLASS RAILINGS

M7
BM07
LATERAL


Glass Thickness	BM07			
16mm	H[mm]	1000	1100	1200
	D[mm]	800	700	600
20mm	H[mm]	1000	1100	1200
	D[mm]	800	700	600



PCA-BM07
Lateral Base
16,20 mm | Glass Thickness
120cm | Max. Height
1KN | Max.Load
Stainless Steel 304 | Material
Satin | Finish

M8 | LATERAL POINT FIXING SERIES






Glass Thickness	AN11			
	H[mm]	1000	1100	1200
16mm	D[mm]	800	700	600
20mm	H[mm]	1000	1100	1200
	D[mm]	800	700	600

M8

AN11
LATERAL




PCA-AN11
5 Axes Adjustable Double Anchor Spacer
10-20 mm | Glass Thickness
1KN | Max.Load
Stainless Steel 304 | Material
Satin| Finish



PCA-K002

Handrail Profile

16,20 mm | Glass Thickness
1,368 kg | Weight/meter
580 cm | Length
Aluminium | Material
Natural Anodize, Satin | Finish



K002-16A



K002-20A


Railing Profile Fixing Rubber
30m Roll | Unit



PCA-K002A

Handrail Profile

12, 16 mm | Glass Thickness
0,903 kg | Weight/meter
580 cm | Length
Aluminium | Material
Natural Anodize, Satin | Finish



K002A-12A



K002A-16A


Railing Profile Fixing Rubber
30m Roll | Unit



PCA-K003A

Handrail Profile

12,16 mm | Glass Thickness
0,729 kg | Weight/meter
580 cm | Length
Aluminium | Material
Natural Anodize, Satin | Finish



K003A-12A



K003A-16A


Railing Profile Fixing Rubber
30m Roll | Unit



PCA-K004

Handrail Profile

16 mm | Glass Thickness
1,442 kg | Weight/meter
580 cm | Length
Aluminium | Material
Natural Anodize, Satin | Finish



K004-16A


Railing Profile Fixing Rubber
30m Roll | Unit



PCA-K005

Handrail Profile

10-20 mm | Glass Thickness
0,283 kg | Weight/meter
580 cm | Length
Aluminium | Material
Natural Anodize, Satin | Finish



Shower Cabins & WC Partitions 8

Doors & Office Partitions 81

Facades 169

Folding 199

Guillotine 209

Spiders 215


Balcony Railings 225


Inox Railings **273**

Staircase 293

Canopies 297

Miscellaneous & Consumables 307





**PCA-AHC-004**

Ø: 42,4x2mm
Length: 5800mm
Stainless Steel 304 - 316 | Material
Satin | Finish

**PCA-AHC-001**

Ø: 12mm
Length: 5800mm
Stainless Steel 304 - 316 | Material
Satin | Finish

**PCA-AHC-005**

□ : 40x40x2mm
Length: 5800mm
Stainless Steel 304 - 316 | Material
Satin | Finish

**PCA-AHC-011**

40x10 | Flat bar
Stainless Steel 316 | Material
Satin | Finish

**PCA-AHC-007**

□ : 50x25x2mm
Length: 5800mm
Stainless Steel 304 - 316 | Material
Satin | Finish

**PCA-AHC-012**

15x5 | Flat bar
Stainless Steel 316 | Material
Satin | Finish

**PCA-AHC-008**

□ : 40x10x1,3mm
Length: 5800mm
Stainless Steel 304 - 316 | Material
Satin | Finish


**PCA-AHC-006**

Ø: 6mm - 12mm
Roll: 100m
Stainless Steel 304 | Material
Satin | Finish


**PCA-AHD-001**

Stainless Steel 316 | Material
Satin | Finish



PCA-AHB-008
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-052
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-020
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-009
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish





PCA-AHB-053
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-030
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish








PCA-AHB-029

Ø: 42,4mm

Stainless Steel 304 - 316 | Material

Satin | Finish






PCA-AHB-028

Ø: 42,4mm

Stainless Steel 304 - 316 | Material

Satin | Finish





PCA-AHB-048

□: 40x40mm

Stainless Steel 304 - 316 | Material

Satin | Finish




PCA-AHB-057

Ø: 42,4mm


Stainless Steel 304 - 316 | Material

Satin | Finish


PCA-AHB-027
□ : 40x40mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-050
□ : 40x40mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-046
□ : 40x40mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-051
□ : 40x40mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-034
□ : 40x40mm
Stainless Steel 304 - 316 | Material
Satin | Finish






PCA-AHB-016

Ø: 42,4mm

Stainless Steel 304 - 316 | Material

Satin | Finish




PCA-AHB-015

Ø: 42,4mm

Stainless Steel 304 - 316 | Material

Satin | Finish




PCA-AHB-017

Ø: 42,4mm

Stainless Steel 304 - 316 | Material

Satin | Finish



PCA-AHB-018

Ø: 42,4mm

Stainless Steel 304 - 316 | Material

Satin | Finish




PCA-AHB-014

□ : 40x40mm

Stainless Steel 304 - 316 | Material


Satin | Finish


**PCA-AHB-019**

□ : 40x40mm


Stainless Steel 304 - 316 | Material

Satin | Finish






PCA-AHB-012
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-013
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish




Glass Cut




PCA-AHB-044A
Ø: 42,4mm
10-21,52mm | Glass Thickness
Stainless Steel 304 - 316 | Material
Satin | Finish



Glass Cut




PCA-AHB-044B
□ : 40x40mm
10-21,52 mm | Glass Thickness
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-045
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish







PCA-AHB-036
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-035
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-023
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-024
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-025
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-037
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-026
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish


PCA-AHB-054
□ : 40x40mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-055
□ : 40x40mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-056
□ : 40x40mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-058
□ : 50x25mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-059
□ : 50x25mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-060
□ : 50x25mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-061
□ : 50x25mm
Stainless Steel 304 - 316 | Material
Satin | Finish







PCA-AHB-001
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-002
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-003
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-006
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-007
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-010
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish


PCA-AHB-011
□: 40x40mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-041
□: 40x40mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-039
Ø: 12mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-047
Ø: 12mm
Stainless Steel 304 - 316 | Material
Satin | Finish






PCA-AHB-040
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish




End cap


PCA-AHB-049
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-005
Ø: 12mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-031
Ø: 12mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-033A
Ø: 6mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-033B
Ø: 6mm
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AHB-033C
Ø: 6mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHB-032
Ø: 6mm
Stainless Steel 304 - 316 | Material
Satin | Finish

**PCA-AHB-062**

Ø: 20mm | Rod

Stainless Steel 304 - 316 | Material


Satin | Finish

**PCA-AHB-063**

Ø: 12mm |

Stainless Steel 304 - 316 | Material


Satin | Finish

**PCA-AHB-064**

6mm | Panel

Stainless Steel 304 - 316 | Material


Satin | Finish

**PCA-AHB-065**

15x5 | Flat bar

Stainless Steel 304 - 316 | Material

Satin | Finish


**PCA-AHB-066**

40x10 | Flat bar


Stainless Steel 304 - 316 | Material

Satin | Finish


PCA-AHC-002
Ø: 6mm
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AHC-003
Ø: 6mm
Stainless Steel 304 - 316 | Material
Satin | Finish





PCA-AHB-021
Ø: 42,4mm
Stainless Steel 304 - 316 | Material
Satin | Finish





PCA-AHB-022
□: Square tube
Stainless Steel 304 - 316 | Material
Satin | Finish









PCA-GC21
 □ : Square tube
 10mm | Glass Thickness
 Stainless Steel 304 - 316 | Material
 Satin | Finish





PCA-GC21A
 □ : Square tube
 10mm | Glass Thickness
 Stainless Steel 304 - 316 | Material
 Satin | Finish





PCA-GC20
 Ø: 42,4mm
 10mm | Glass Thickness
 Stainless Steel 304 - 316 | Material
 Satin | Finish





PCA-GC20A
 Ø: 42,4mm
 10mm | Glass Thickness
 Stainless Steel 304 - 316 | Material
 Satin | Finish




PCA-GC30
 □ : Square tube
 10mm | Glass Thickness
 Stainless Steel 304 - 316 | Material
 Satin | Finish




PCA-GC29
 Ø: 42,4mm
 10mm | Glass Thickness
 Stainless Steel 304 - 316 | Material
 Satin | Finish




PCA-GC24
 □ : Square tube
 8mm | Glass Thickness
 Zinc Alloy | Material
 Satin | Finish




PCA-GC25
 □ : Square tube
16mm | Glass Thickness
 Stainless Steel 304 | Material
 Satin | Finish




PCA-GC25A
 □ : Square tube
16mm | Glass Thickness
 Stainless Steel 304 | Material
 Satin | Finish



PCA-GC27
 □ : Square tube
10mm | Glass Thickness
 Aluminium | Material
 Natural Anodize | Finish



PCA-AHB-004
8mm | Glass Thickness
 Stainless Steel 304 - 316 | Material
 Satin | Finish



PCA-AHB-042
8mm | Glass Thickness
 Stainless Steel 304 - 316 | Material
 Satin | Finish



PCA-AHB-068
 Ø: 12mm
 Stainless Steel 304 - 316 | Material
 Satin | Finish




PCA-AHB-067
 Ø: 12mm
 Stainless Steel 304 - 316 | Material
 Satin | Finish

Shower Cabins & WC Partitions	8
Doors & Office Partitions	81
Facades	169
Folding	199
Guillotine	209
Spiders	215
Balcony Railings	225
Inox Railings	273
Staircase	293
Canopies	297
Miscellaneous & Consumables	307

L1 | STAIRCASE SERIES









PCA-FC11
Glass Staircase Fitting



560 gr | Weight
50kg | Max Weight
16-30mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish

Glass - Glass






Wall - Glass







Glass Preparation




L 1100



L 1200




L 1300




Shower Cabins & WC Partitions	8
Doors & Office Partitions	81
Facades	169
Folding	199
Guillotine	209
Spiders	215
Balcony Railings	225
Inox Railings	273
Staircase	293
Canopies	297
Miscellaneous & Consumables	307

E1 | CANOPIES SERIES









TYPES




System	Rod size	Glass Width [W]	Height [H]
E 1001	1000mm	800mm	910mm
E 1002	1000mm	900mm	810mm
E 1003	1000mm	1000mm	690mm
E 1251	1250mm	1150mm	890mm
E 1252	1250mm	1250mm	750mm
E 1253	1250mm	1350mm	550mm
E 1501	1500mm	1400mm	960mm
E 1502	1500mm	1500mm	800mm
E 1503	1500mm	1600mm	590mm



PCA-HL30
Wall- Glass Fitting
 10,76-21,52 | Glass Thickness
 80 kg | Weight
 Stainless Steel 304 | Material
 Satin | Finish




PCA-HL31
Glass - Rod Fitting
 10,76-21,52 | Glass Thickness
 80 kg | Weight
 Stainless Steel 304 | Material
 Satin | Finish




PCA-HL32
Wall - Rod Fitting
 10,76-21,52 | Glass Thickness
 80 kg | Weight
 Stainless Steel 304 | Material
 Satin | Finish

PCA-MP01
Support Plate
80 kg | Weight
Stainless Steel 304 | Material
Satin | Finish





CANOPIES

PCA-RD02
Canopy Rod
80 kg | Weight
Stainless Steel 304 | Material
Satin | Finish





E2 | CANOPIES SERIES





PCA-CN01
Canopy Profile

80 kg | Weight
21,52 mm | Glass Thickness
300cm | Length
Aluminium | Material
Natural Anodize, Satin | Finish



PCA-CN01-10

10.10.4mm | Glass Thickness
6cm | Length
Aluminium | Material




PCA-GM10-20A

Canopy Profile Fixing Rubber
30m Roll | Unit




PCA-GM10-20B

Canopy Profile Fixing Rubber
30m Roll | Unit




CNC Processing




DESCRIPTION:
-Profile length: 3,5 m
-Maximum glass dimensions: 100x110
-Glass thickness 10+10+1,52 tempered and laminated
-Up to 200kg load/m² excluded the glasse's weight.



CANOPIES SERIES | **E3**

CANOPIES





PCA-CN02
Canopy Profile
80 kg | Weight
12,16,20mm | Glass Thickness
580cm | Length
Aluminium | Material
Natural Anodize, Satin, Mill | Finish



Shower Cabins & WC Partitions 8

Doors & Office Partitions 81

Facades 169

Folding 199

Guillotine 209

Spiders 215

Balcony Railings 225

Inox Railings 273


Staircase 293

Canopies 297


Miscellaneous & Consumables 307




**PCA-HR01 | HR02 | HR03
Self Holder**
5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish




**PCA-HR04
Self Holder**
5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish




**PCA-HR05
Self Holder**
5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish




**PCA-HR06
Self Holder**
5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish





**PCA-HR07
Self Holder**
5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish





**PCA-HR08
Self Holder**
5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish





	Heigth H	Weight W	Depth D	Size A
HR09A	34mm	40mm	24mm	17mm
HR09B	45mm	55mm	28mm	22mm
HR09C	52mm	75mm	30mm	30mm
HR09D	58mm	103mm	31mm	45mm





**PCA-HR09
Self Holder**
5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish



**PCA-HR10
Self Holder**
5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish




**PCA-HR12
Glass self Hinge**
5-10mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish





**PCA-HR13
Glass self Hinge**
5-10mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



	Heigth H	Weight W	Depth D	Size A
HR10A	65mm	65mm	22mm	20mm
HR10B	80mm	78mm	30mm	32mm





**PCA-HR18
Self Holder**
5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish



**PCA-HR20
Self Holder**
5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish









GC20

GC20A



PCA-GC20 | GC20A
Clamp
10mm | Glass Thickness
Stainless Steel 304 - 316 | Material
 Satin | Finish







PCA-GC21
Clamp
10mm | Glass Thickness
Stainless Steel 304-316 | Material
 Satin | Finish







PCA-GC21A
Clamp
10mm | Glass Thickness
Stainless Steel 304 | Material
 Satin | Finish







PCA-GC24
Clamp
8mm | Glass Thickness
Zinc Alloy | Material
  Satin, Polished | Finish






PCA-GC25
Clamp
16mm | Glass Thickness
Stainless Steel 304 | Material
 Satin | Finish







PCA-GC25A
Clamp
16mm | Glass Thickness
Stainless Steel 304 | Material
 Satin | Finish




PCA-GC27
Clamp
10mm | Glass Thickness
Aluminium | Material
Natural Anodize | Finish




PCA-GC29
Clamp
10mm | Glass Thickness
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-GC30
Clamp
10mm | Glass Thickness
Stainless Steel 304 - 316 | Material
Satin | Finish



PCA-AM01
Ø30mm Anchor Spacer
30 kg | Weight
10mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish









PCA-AM02
Ø30mm Anchor Spacer
30 kg | Weight
10mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish




PCA-AM03
Ø25mm Anchor Spacer
30 kg | Weight
10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish



	DIMENSIONS (A x B x T)	LENGTH	WEIGHT/bar	PRODUCT CODE
EVEN CORNER ALUMINIUM PROFILE 	20x20x1,2	5,8m	0,78 kg	GGL20
	25x25x1,1	5,8m	0,9 kg	GGL25
	30x30x1,2	5,8m	1,18 kg	GGL30
	40x40x1,2	5,8m	1,57 kg	GGL40
	40x40x3	5,8m	3,85 kg	GGL40.3
U CHANNEL PROFILE 	13,8x13,8x1,3	5,8m	0,85 kg	U13.8
	15,5x20x1,5	5,8m	1,3 kg	U15.5
	20x20x1,3	5,8m	0,202 kg	GG20
	20x30x1,3	5,8m	0,272 kg	GG30
	20x40x1,3	5,8m	0,342 kg	GG40
	22x13x1,2	5,8m	0,92 kg	U22
	25x20x1,6	5,8m	1,66 kg	U25
	27,8x22,2x1,2	5,8m	1,37 kg	U27
	28x18x0,9	5,8m		U28
	39x20x2	3m	1,12 kg	GGV2
UNEVEN CORNER ALUMINIUM PROFILE 	18x8,5x1,1	5,8m	0,47 kg	UA-18
	30x18x1,3	5,8m	1,01 kg	UA-30
	40x20x1,3	5,8m	1,3 kg	UA-40
SQUARE HOLLOW ALUMINIUM PROFILE 	20x20x0,9	5,8m	1,15 kg	SHT-20
	30x30x1,1	5,8m	1,84 kg	SHT-30
	40x40x1,2	5,8m	3,08 kg	SHT-40
	50x50x1,2	5,8m	3,16 kg	SHT-50
	60x60x1,35	5,8m	5,28 kg	SHT-60
FLAT ALUMINIUM PROFILE 	10x3	5,8m	0,45 kg	FB-10
	20x3	5,8m	0,92 kg	FB-20
	25x2	3m	0,1 kg	GGV4
	25x3	5,8m	1,16 kg	FB-25
	30x3	5,8m		FB-30
	40x4	5,8m	2,5 kg	FB-40
	45x2	3m	0,18 kg	GGV3
RECTANGULAR HOLLOW ALUMINIUM PROFILE 	30x20x1,2	5,8m	1,93 kg	RHT-30
	40x20x1	5,8m	1,94 kg	RHT-40
	50x20x1,2	5,8m	2,69 kg	RHT-50x20
	50x30x1,8	5,8m	4,67 kg	RHT-50x30
	60x20x1,5	5,8m	3,81 kg	RHT-60
	80x18x8	5,8m	3,13 kg	RHT-80x18
	80x25x1,2	5,8m	3,4 kg	RHT-80x25
	100x20x1,1	5,8m	4,69 kg	RHT-100

AVAILABLE FINISHES: SATIN, NATURAL ANODIZE, BLACK ANODIZE





Fittings and Profiles Index

AH

AHB-001	286
AHB-002	286
AHB-003	286
AHB-004	292
AHB-005	288
AHB-006	286
AHB-007	286
AHB-008	277
AHB-009	277
AHB-010	286
AHB-011	287
AHB-012	282
AHB-013	282
AHB-014	281
AHB-015	280
AHB-016	280
AHB-017	280
AHB-018	280
AHB-019	281
AHB-020	277
AHB-021	289
AHB-022	289
AHB-023	284
AHB-024	284
AHB-025	284
AHB-026	284
AHB-027	279
AHB-028	278
AHB-029	278
AHB-030	277
AHB-031	288
AHB-032	288
AHB-033A	288
AHB-033B	288
AHB-033C	288
AHB-034	279
AHB-035	284
AHB-036	284
AHB-037	284
AHB-039	287
AHB-040	288
AHB-041	287
AHB-042	292
AHB-044A	283
AHB-044B	283
AHB-045	283
AHB-046	279
AHB-047	287
AHB-048	278
AHB-049	288
AHB-050	279
AHB-051	279
AHB-052	277
AHB-053	277
AHB-054	285
AHB-055	285
AHB-056	285
AHB-057	278
AHB-058	285
AHB-059	285
AHB-060	285
AHB-061	285
AHB-062	289
AHB-063	289
AHB-064	289
AHB-065	289
AHB-066	289
AHC-001	276
AHC-002	289
AHC-003	289
AHC-004	276
AHC-005	276
AHC-006	276
AHC-007	276
AHC-011	276
AHC-012	276
AHD-001	276

AM

AM01	311
AM02	311
AM03	311

AN

AN01	266
AN02	266
AN03	266
AN04	266
AN05	266
AN06	266
AN07	266
AN08	266
AN11	271
AN12	265
AN13	265
AN14	267
AN15	267

BL

BL08	195
BL08S	195
BL09	205
BL10	205
BL15	72
BL16	72

BM

BM07	269
BM12	260
BM13	261
BM14	262

BR

BR01	80
BR02	80
BR03	80
BR04	80

CN

CN01	303
CN01-10	303
CN02	306

DC

DC01	182
DC02	182
DC03	182

DH

DH12	161
DH13	161
DH15	160
DH-2D	161
DH-3D	160

DK

DK03	74
DK04	75
DK06	74
DK08	74
DK08S	74
DK11	77
DK13A	76
DK13B	76
DK14	76
DK15	77
DK16	76
DK18	75
DK19	75
DK20	73
DK21	73
DK22	73
DK24	77

DL

DL04	163
DL04B	163
DL07A	163
DL09	110
DL09A	163
DL09B	110
DL21	186
DL23	186
DL24	205
DL25	186
DL27	186
DL33	162
DL33A	163

FC

FC01	189
FC02	189
FC03	189
FC04	189
FC06	188
FC07	188
FC08	188
FC09	191
FC10	191
FC11	295

FD

FD01	206
------	-----

FG

FG01	47
FG02	47
FG03	47
FG04	47
FG05	44
FG06	44
FG07	44
FG08	108
FG09	47
FG10	44

FH

FH01	184
FH02	184
FH03	184
FH04	184
FH04A	184
FH10L	190
FH10R	190
FH11	190
FH12A	190
FH12B	190
FH13	190
FH15	191
FH18	206
FH19	205
FH20	206
FH21	206
FH22	187
FH26	185
FH27	185
FH28	185
FH29	185
FH30	176
FH31	177

GC

GC01	68
GC03	68
GC05	68
GC06	68
GC07	68
GC18	187
GC19	187
GC19B	187
GC20	310
GC20A	310
GC21	310
GC21A	310
GC24	310
GC25	310
GC25A	310
GC27	311
GC29	311
GC30	311
GC31	69
GC33	69
GC35	69
GC36	69
GC37	69
GC40	70
GC41	70
GC42L	70
GC42R	70
GC43	71
GC44	71

GG

GG01	54
GG02	54
GG03	54
GG06	153
GG06D	157
GG06EC	157
GG06 KIT	159
GG07	179
GG08	154
GG08-5	155
GG08-6U	155
GG08-8	155
GG08-9	155
GG08C	155
GG08-C	154
GG08-S	154
GG08-U	154
GG08 KIT	159
GG09	55
GG09-8	55
GG09-10	55
GG10	55
GG11	153
GG11A	156
GG11B	156
GG11EC	157
GG11 KIT	159
GG12	153
GG12 KIT	159
GG13	181
GG14	54
GG15	54
GG16	159
GG17	106
GG18	55
GG19	54
GG21	54
GGL	157
GGT	157
GGX	157
GGV2	312
GGV3	312

GM

GM01	228
GM01EC	228
GM01-12A	228
GM01-12B	228
GM01-12C	228
GM01-16A	228
GM01-16B	228
GM01-16C	228
GM01-20A	228
GM01-20B	228
GM01-20C	228
GM01A	230
GM01A-10A	230
GM01A-10C	230
GM01A-12A	230
GM01A-12C	230
GM01AEC	230
GM01SEC	234
GM01SF-12	228
GM01SF-16	228
GM01SF-20	228
GM01-S	236
GM02SF-10	230
GM02SF-12	230
GM03	232
GM03EC	232
GM04	248
GM04EC	248
GM05	256
GM05-8	256
GM05A	256
GM05B	256
GM06	250
GM06EC	250

GM		
GM07	252	
GM07EC	252	
GM08	238	
GM08EC	238	
GM09	258	
GM09EC	258	
GM10	234	
GM10-5	234	
GM10-20A	234	
GM10EC	234	
GM11	240	
GM11B	240	
GM11EC	240	
GM11SF	240	
GM11-2	240	
GM11-12	240	
GM11-16	240	
GM11-20	240	
GM12	242	
GM12EC	242	
GM12-5	242	
GM12-20	242	
GM12-24	242	
GM13	244	
GM13EC	244	
GM14	254	
GM14EC	254	

GT		
GT01	48	
GT02	45	
GT04	109	
GT04EC	157	
GT05	109	
GT06	109	
GT07	43	
GT09	150	
GT09 KIT	158	
GT10	150	
GT10 KIT	158	
GT11	150	
GT11B	151	
GT11 KIT	158	
GT12	151	
GT12 KIT	158	
GT13	151	
GT13 KIT	158	
GT14	162	
GT14-2	165	
GT14A KIT	162	
GT14B KIT	162	
GT14-DL	164	
GT14-DL2	164	
GT14-H	167	
GT16-1	167	
GT16-2	167	
GT16-4	167	
GT16-5	167	
GT21	204	
GT22	204	
GT22L	204	
GT22T	204	
GT24	162	
GT24-DL	166	
GT24-DL2	166	
GT24-DL3	166	
GT24-H	167	
GT31	106	
GT31-3	106	
GT31EC-L	157	
GT31EC-R	157	
GT34	168	
GT60	152	
GT60 KIT	158	
GTA	156	
GTB	156	
GTC	156	
GTD	156	
GTZ	156	

HD		
HD01	194	
HD03	194	
HD06	196	
HD06A	196	
HD13	195	
HD14	197	

HL		
HL04	49	
HL05	49	
HL06	49	
HL07	49	
HL08	46	
HL15	109	
HL16	108	
HL17	109	
HL18	108	
HL21	107	
HL22	107	
HL28	50	
HL30	300	
HL31	300	
HL32	300	
HL34	45	
HL34A	46	
HL35	46	
HL36	52	
HL37	52	
HL38	52	
HL39	45	
HL40	46	
HL43	50	
HL44	52	
HL45	51	
HL47	52	
HL48	43	
HL49	43	
HL50	43	
HL51	51	

HN		
HN03	223	
HN04	223	
HN05	223	

HR		
HR01	308	
HR02	308	
HR03	308	
HR04	308	
HR05	308	
HR06	308	
HR07	308	
HR08	308	
HR09	309	
HR10	309	
HR12	309	
HR13	309	
HR18	309	
HR20	309	

HS		
HS03	78	
HS04	78	
HS05	78	
HS06	78	
HS07	79	
HS08	79	
HS09	79	
HS10	79	

IC		
IC01	204	
IC02	204	
IC03	204	
IC04	204	
IC05	204	

KO		
K002	272	
K002-16A	272	
K002A	272	
K002A-16A	272	
K002AEC	272	
K002EC	272	
K003A	272	
K003A-16A	272	
K003AEC	272	
K004	272	
K004-16A	272	
K004EC	272	
K005	272	
K005EC	272	

KP		
KP01	187	
KP02	207	
KP03	187	

KZ		
KZ01	192	
KZ02	192	

LH		
LH01	165	
LH02	165	

ML		
ML01	192	
ML03	192	
ML05	206	

MP		
MP01	301	

PH		
PH01	110	

RD		
RD01	48	
RD02	301	

RH		
RH01	48	
RH03	107	
RH08	108	
RH09	108	
RH12	205	
RH18	45	
RH18B	45	
RH31	106	

S		
S01	57	
S02	57	
S04	57	
S05	57	
S06	57	
S07	57	
S08	57	
S09	57	
S10	57	
S11	57	
S12	57	
S13	198	
S14	198	
S15	57	
S16A	208	
S17	198	
S18	198	
S19	56	
S20	198	
S21	56	
S25	56	
S26	56	
S27	57	
S28	57	
S29	55	
S30	56	
S31	159	
S31-12	159	
S32	159	
S33	159	
S34	159	
S36	56	
S37	55	

SD		
SD01	220	
SD01A	220	
SD02A	220	
SD02B	220	
SD03	220	
SD04	221	
SD05	221	
SD06	221	
SD07	222	
SD08	222	

SH		
SH01	61	
SH03	61	
SH05	61	
SH06	61	
SH07	61	
SH20	67	
SH31	60	
SH33	60	
SH35	60	
SH36	60	
SH37	60	
SH45	64	
SH46	64	
SH47	65	
SH48	65	
SH49	62	
SH50	62	
SH51	62	
SH52	63	
SH53	63	
SH54	63	
SH55	66	
SH56	66	

650	193
800	193
840	193

WB		
WB01	168	
WB02	168	

SP		
SP01	49	
SP03	107	
SP06	108	
SP10	191	
SP10B	191	
SP11	188	
SP12	188	
SP14	45	
SP16	168	

SS		
SS01	224	
SS02	224	

TC		
TC01	157	
TC05	207	
TC06	207	
TC07	207	



Exporting in more than 50 countries worldwide.



PCA - SHOWROOM IN THESSALONIKI

INDUSTRIAL AREA OF THESSALONIKI bk. 38

SINDOS, 57 022 | GREECE

t: 0030 2310 570727

f: 0030 2310 570726

info@papgroup.gr

pca@papgroup.gr

PAP SAFETY GLASS INDUSTRY

INDUSTRIAL AREA OF THESSALONIKI bk. 55

SINDOS, 57 022 | GREECE

t: 0030 2310 796180

f: 0030 2310 96179

psg@papgroup.gr

SHOWROOM IN ATHENS

SOLOMOU 13

PERISTERI-ATTIKI, 12133 | GREECE

t: 0030 210 5757 727

f: 0030 210 5757 727

pca@papgroup.gr




PCA owns a Research & Development department where innovative ideas and well studied designs come into realization, burdening the products with functionality and sophistication.

The core of our operations is the excellent and fast service of our customers worldwide.

www.papgroup.gr




Handwriting practice lines consisting of multiple sets of three horizontal dotted lines for tracing and writing practice.



Handwriting practice lines consisting of multiple horizontal dotted lines for tracing and writing practice.

Handwriting practice lines consisting of multiple horizontal dotted lines for tracing and writing practice.





PAPGROUP
